200

Continuity and Change
Consideration of the "Value" of Two Redevelopment Alternatives
for Block 93 in Kansas City, Missouri/

by

Lance H. Carlson

B.A., Knox College, 1979

A MASTER'S THESTS

submitted in partial fulfillment of the

requirements for the degree

MASTER OF ARCHITECTURE

Department of Architecture

KANSAS STATE UNIVERSITY Manhattan, Kansas

1984

Approved by:

Major Professor

## Table of Contents

List of Figures / ii

List of Tables / iii

Acknowledgments / iv

I. Introduction / 1

II. Two Redevelopment Alternatives: Scheme A and Scheme B / 13

III. Monetary Value: Economic Feasibility Analysis / 28

IV. Non-Monetary Value: Historical and Architectural Analysis / 45

7. Synthesis Value: Scheme A versus Scheme B / 79

seferences / 86

Appendix 1. Scheme B<sub>4</sub> (Consideration of Air Rights) / 90

Appendix 2. Louis S. Curtiss (Architect of the Boley Building) / 96

Areas for Future Study / 100

## List of Figures

- 1.1. Block 93 and Vicinity / 6
- 1.2. Emery Bird Thayer / ?
- 1.3. Harzfeld's, Inc. / 8
- 1.4. Krigel's Jewellery / 9
- 1.5. Lillis Building / 10
- 1.6. Waldheim Building / 11
- 1.7. Boley Building / 12
- 2.1. Scheme A Site Plan / 23
- 2.2. Scheme B Site Plan / 23
- 2.3. Scheme A Axonometric Drawing / 24
- 2.4. Scheme B Axonometric Drawing / 25
- 2.5. Harzfeld's, Inc. (south facade) / 27
- 4.1. "Fetticoat Lane" (from the west) 1899 / 70
  4.2. Emery Bird Thayer; horse and wagon delivery fleet c.1895-1900 / 71
- 4.3. "Petticoat Lane" (from the east) 1928 / 72
- 4.4. Browning-King Store, 11th and Main (right) c.1900 / 73
- 4.5. "Petticoat Lame" Post Card c.1895-1905 / 74
- 4.6. "Petticoat Tame" (from the east) 1952 / 75
- 4.7. Feminine Script Street Sign 1952 / 76
- 4.8. Crosstown Development's Proposed Barrel Vault / ??
- 4.9. Boley Building (from the southeast) 1910 / 78

## List of Tables

- 2.1. Summary of Project Considerations / 22
- 2.2. Key to Site Plans / 26
- 2.3. Key to Axonometric Drawings / 26
- 3.1. Scheme A Project Costs / 31
- 3.2. Scheme A Project Income / 32
- 3.3. Schome A Financing and Depreciation / 33
- 3.4. Scheme A Cash Flow / 34
- 3.5. Scheme E Project Costs / 35
- 3.6. Scheme B Project Income / 36
- 3.7. Scheme B Financing and Depreciation / 37
- 3.8. Scheme B Cash Flow / 38
- 3.9. New Retail Mall Project Costs / 39
- 3.10. New Retail Mall Project Income / 40
- 3.11. New Retail Mall Financing and Depreciation / 41
- 3.12. New Retail Mall Cash Flow / 42
- 3.13. Surmary of Feasibility Analysis Considerations / 43
- 3.14, Scheme B<sub>1</sub> Project Costs / 92
- 3.15. Scheme B, Project Income / 93
- 3.16. Scheme B<sub>1</sub> Financing and Depreciation / 94
- 3.17. Scheme B<sub>1</sub> Cash Flow / 95

#### ACKNOWLEDGMENTS

I wish to express my sincere thanks to Professor P. Cene Ernst who supervised this project. Professors Bernel Poerster and Jonald Watts, my advisory committee, played an important role in the development of the "non-monetary value" text. In conjunction with this aspect of the project, I would like to thank the staff of the Nissouri Valley Room at the Kansas City Public Library, and Paul Helmer and Ellen Ugaccioni at the Landmarks Commission.

The economic feasibility analysis was made possible through the support of four Kansas City organisations. Douglas Wasana of Ristoric Ramasa City Poundation coordinated the effort. Through Professor Wasana, I received information concerning the redevelopment of Block 99 from Claude Page and David Bower at the Office of Housing and Community Development, Kansas City. Similarly, Terry Wendt of Crosstown Development Corporation and Brian Collins of the Redevelopment Authority provided income project contentinates that were crucial to this project.

To all these people I owe a great debt of gratitude for their time and energy in answering my many questions.

Finally, unconditional respect and appreciation go to my parents whose encouragement has been never ending.

Lance H. Carlson June 4, 1984.

### I. INTRODUCTION

The deterioration of the historic urban core in many of this country's large cities should be a matter of concern to not only architects, developers, and city planners but also to those people who enjoy the complexity and diversity of opportunity afforded in an urban environment. 'It is not at all accidental that such words and concepts as 'civil,' 'civilized,' 'citisen,' and 'urbane' and 'urbanity' cluster around the word and concept of the city. Urban experience with the city as a special instrument of social organization is the basisfor all such concents. 'I

The docentralization of the city's population and the corresponding shift of retail enterprises to regional snopping malls in suburban areas has [soyardised the viability of many historic conservated interiots in the urban core. Landmark buildings, which comprise these districts, have been the target of speculative development. Growth within an urban sewironment has been commonly viewed as the replacement of older buildings, which have presumably reached the end of their useful life, with new large buildings. Accordingly, funds are allocated for the construction of new projects in preference to the repair of older buildings.

The developer's profit motive is reinforced by real estate market pressures, especially apparent in large urban areas, which have justified landmark describing and subsequent new construction in its place. In the span of twenty-five years, land values have increased so rapidly that it has become profitable to desclish even a fairly new building in order to use the land more intensively -to exploit to its highest and best use the new land value created in a chort span of time. Modern building technologies, which account for both the size and efficiency of new construction, are responsible for the functional and economic obsolescence of many historic landmarks.

From an aesthetic standpoint, James Warston Pitch estates that although all old buildings have a structural and artistic integrity, the wast majority in American cities will not, when individually considered, have any great historic or artistic eignificance. Coupled with economic pressures, this factor has contributed to the indiscriminate alteration and/or demolition of numerous commercial buildings.

In the past several years, however, there has been an increasing tendency to view old buildings in the urban core as potential resources rather than as obstacles to growth. Several financial tools are presently available to provide incentive for the rebabilitation and continued use of these historic buildings. By addressing the issue of economics as it relates to historic preservation, a step can be made toward the integration of preservation with new construction as a viable building alternative. Communicating with the developer through economics, or mon-sonetary value factors. In the case of urban land-marks, the snvircemental context, or grouping of buildings, will be frequently a criterion through which the aesthetic value can be determined for an intrivialm building's significance.

For the purpose of this study, aesthetic value will be determined

on the basis of either an individual building's or district's architectural and/or historical significance. In addition, aesthetic value will account for any alteration to the original fabric of a building which compromises the integrity of the structure.

The intent of this study is to develop a concept of value for urban landmarks that will be recognised and accepted by developers, planners, and civic leaders as well as by architectural preservationists. An over-all value, based upon a synthesis of economic and menthetic factors, will be advanced as a preservation 'package.' This new landmark value can be presented to a prospective developer for review as a redevelopment alternative to new construction.

By providing means to help insure the preservation of a city's historic fabric, a process of gradual change can replace the rapid transformations created by speculative development. Christopher Alexander, in his study, The Creson Experiment, states: Tor environments, ...an organic process of growth and repair must create a gradual sequence of changes, and these changes must be distributed evenly across every level of scale. There must be as such attention to the repair of details ...as to the creation of brand-new buildings. Only then can an environment stay balanced both as a whole and in its parts, at every moment of its history. The is the intent of preservation efforts to maintain the urban environment while, at the same time, allowing it to adapt to changing demands. The present study will consider two redevelopment alternatives, rehabilitation integrated with new construction versus completely new construction, for Slock 93 in Kansas City, Missouri. A 'value' will be determined for both schemes based upon economic and seatheric findings.

During the 1960's, Block 99 in downtown Kansas City, was referced to as the "Diamond." The area, at that time, was the heart of Kansas City's retail district. Such major retail firms as Bezry Bird Thayer, Harrfeld's, Woolf Brothers, Peck's, the Jones Store Company, John Taylor's (now Macy's), and many others were located either on Block 93 or adjacent to it. The block, itself, is bounded by Itth and 12th Streets to the north and south respectively, and Walnut and Main to the east and west. (Figure 1.1)

Few of the many retail stores that operated in the 1920's exist today and the term "Diamond Block" is unfamiliar to all but a few long-time Kannas City residents. The most recent demolition victin has been the Emery Bird Thayer Store which was located at the northeast corner of Walnut and Ith Streets. (Figure 1.2)

At the present time, four historically significant cosmercial buildings survive to comprise an historic streetscape which has been referred to as "Petticoat Lane" since the 1890's. The nickname arcse as a result of the number of women's clothing stores in close proximity. The streetscape is actually lith Street bounded to the east by Walmut Street and to the west by Main. The four primary contributors to "Petticoat Lane" are Harmfeld's and Krigel's to the south (Figure 1.3, 1.4) faced by the Lillis and Walmein buildings to the north. (Figure 1.5, 1.6) Originally, Emery Bird Thayer would have contributed to the historic character, extending the streetscape east on lith Street across Valmut.

Perpendicular to "Petticoat Lane" and facing east on Main Street are Macy's and Peck's, two other commercial buildings which would be considered secondary components of the "Petticoat Lane" streetscape. The building for the Bolay Clothing Company located at the southeast commer of Block 93, 12th and Walmut, is an architectural 'jewel' that warrants inclusion in any study of the "Petticoat Zane" historic district. (Figure 1.7)

A preliminary determination of National Register eligibility for the district has been granted by the Missouri State Historic Preservation Office. Tretticost Lace' represents a time in Ramsas City's commercial history of burgeoning retail growth that created the downtown.<sup>5</sup> In the estimation of the Kansas City Landmarks Commission, if one more building is demolished, in all probability, the fabric for a downtown retail historic district will be lessened to the extent that it will be impossible to justify such a district.




Figure 1.1. Map of Block 93 and Vicinity




Figure 1.2. Emery Bird Thayer



Figure 1.3. Harzfeld's, Inc.



Figure 1.4. Krigel's Jewellery



Figure 1.5. Lillis Building



Figure 1.6. Waldhein Building



Figure 1.7. Boley Building

### II. TWO REDEVELOPMENT ALTERNATIVES

AT-T Communications has chosen Block 93 in the Central Business District of Kansac City as the prospective site for a new regional headquarters. Testative plans have been announced by the corporation for a 1.2 million square foot retail/office complex. AT-T, a quasigovernmental agency, has been granted the legal power of Eminent Domain by the City Council. This right allows the corporation to condemn any or all properties on Block 93, a now which could considerably alter the historic character of the urban fabric.

The communications giant intends to clear the majority of existing buildings from the block. Until site clearance is initiated, theture of three significant commercial buildings will be uncertain.

Situated on Block 99 and contributing to the "Petitocat Lase" street-scape, the Harmfeld and Krigel buildings are threatened with the possibility of demolition. At the southeast corner of the block the Boley building, a National Register landmark, could be substantially demoliahed with the exception of the curtain valls which would be preserved and relocated elsewhere.

This study will employ two hypothetical development schemes adapted from the tentative plans of AT-T for a retail/office complex on Block 93. For the sake of clarity, the two development alternatives will be referred to as Scheme A and Scheme B.

Both hypothetical development schemes differ from AT+T's tenta-

tive development plans in several ways. First, matther Scheme A nor Scheme B will include the new office tower which is to be constructed at the center of the block. The reasons for this omission are that inclusion of this office space does not influence the preservation economics and consideration of this space in determining a maximum project budget for both schemes would only "cloud" the more important comparisons that are being sought.

Second. AT+T tentatively plans to rehabilitate and continue to use the Boley and Harzfeld buildings. However, in order to elucidate the economic incentives for the preservation of historic landmarks. Scheme B assumes that both Harzfeld's and the Boley building will be demolished to make room for new development. This site clearing is in addition to the demolition of the Krigel building which, in actuality, is included in AT+T's tentative plans as well as in Scheme B. Therefore, Scheme B consists of an entirely new redevelopment of Block 93. One preservation concession for Scheme B will be incorporated into the study: in order to maintain a continuity of the surviving streetscape, it will be expected that three replacement structures be included in this development scheme to compensate for the loss of those significant landmarks that have been demolished. The replacement buildings should equal the former landmarks in terms of configuration, bulk, fenestration, etc. This concession will allow for the total square footage of Scheme B and Scheme A to be approximately equal. Scheme A, the preservation alternative, includes the rehabilitation of the three commercial landmarks on Block 93 (Boley, Harzfeld, and Krigel) and a proposed linkage of all three to the new AT+T complex.

In order to understand Scheme A and Scheme B in their entirety.

site plans (Figures 2.1, 2.2) and axonometric views of the complex (Figures 2.3, 2.4) illustrate the differences between the schemes in eatisfying programmatic requirements.

The designe for both schemes will satisfy as closely as possible the three programmatic requirements of the actual ATHT development proposal. In addition to both retail and office programs, the ATHT complex requires the design of a 35,000 square footunebetructed floor space for teleconferencing purposes. This conference room will be designed to envelop a space approximately three stories in height,

Scheme 3 has been adjusted in order to accommendate the large floor plate. This spatial requirement demands use of almost half the volume of the new building that will replace Krigal's. In order to accommende the floor plate in Scheme A, the preservation alternative, it would be mecanary to gut the first three floors of the Krigal building. Such a redevelopment would incur higher costs to the scheme totally unjustifiable from a developer's standpoint. Therefore, the area of the floor plate has been compressed in Scheme A because it will not incorporate any opece within Krigal's. Scheme A assumes that an additional teleconferencing area will be created in the new office tower to compensate for the smaller one on the ground floor,

The insertion of the actual ATT teleconferencing floor plate in Scheme 3 has necessitated a rearrangement of retail/office space in this scheme. In order to keep total retail/office square footage of the Scheme 3 replacement buildings approximately equal to that of Scheme A, retail space in the Earnfeld and Boloy replacement buildings will have to occupy three stories in each building. Total square footage of this new retail space is approximately 40, 700 so. ft. Fetall requirements for Scheme A have been achieved through the incorporation of retail space on the first two floors of each of the three existing commercial landmarks. Total square footage for this existing retail space is approximately 37,500 sq. ft. Therefore, six levels of retail are employed in both Scheme A and Scheme B with only a slight variation in total square footage, 2400 sq. ft.

To complete this aspect of the study, a new retail amil of 151,700 eq. ft. will be developed in both schemes. This development corresponds exactly to that proposed by APT in their tentative plans. Located on the west half of Slock 93, the mall will extend from 12th Street, along Nain, to Harmfeld's in Scheme A, and to the Harmfeld replacement structure in Scheme B. In both instances, the two development components will be linked to form a continuous shopping area. The Krigel and Boley retail areas in Scheme A, and the retail area within the Bolsy replacement structure of Scheme B, will be linked to the major retail area through the placement of a corridor through the center of the complex running north to south.

As shown in the Block 99 map (Figure 1.1), it is a function of the retail complex to serve as a link between established large retailers in the central business district; in particular, linkages are made to the Jones Store Company immediately south of Block 99 and to Nacy's at the west end of "Petilicoat Large" on Main Street. This arrangement is analogous to that of regional shopping centers which employ major retailers as "anchors" in their development schemes.

In regard to office space, excluding the actual AT-T tower, square footage allotments for both Scheme A and Scheme B are equal. Each development contains 100.590 so. ft. of office area. For the breservation alternative, Scheme A, the existing Boley and Krigel buildings each have an elevation of six stories while the Harzfeld building has eleven. Office functions will be accommodated in the upper stories of these buildings, the remaining floors above the two stories of retail space in each buildings, This relationship of retail to office space closely approximates that of tall office buildings at the turn of the century. Between the three buildings, 17 floors will create the 100,590 sq. ft. of lessable office Stace.

The office requirements of Scheme 3 have been matisfied in a manner similar to that of Scheme A. However, one important difference has been necessitated due to Scheme 3's provision for the 35,000 sq. ft. unobstructed floor plate on the east side of Block 93. The addition of one story to each of the three new replacement structures is needed to equal the 17 stories of office space in Scheme A. The three additional stories compensate for those three floors at the base of the Krigel replacement structure which function as part of the teleconforencing center. Thus, total square footage of Scheme 8 office space is 100,590 sq. ft.

Annual restal rates for retail and office space have been determined through consultations with a wariety of Kansas City sources. For both rehabilitated an evely constructed retail space, restal pre square foot should be equal. This assumption is based on the fact that all retail space, in both Scheme A and Scheme B, is "fused" together by the north-south corridor running the length of the complex. Based upon market research studies conducted by the Crosstown Development Corporation, \$20/sq.ft./year is the anticipated rental for retail space in Spring, 1980.

Net leasable retail area for Scheme A will consist of the 144,115 sq. ft. proposed for the new retail mall and the 37,900 sq. ft. of space within the three existing commercial buildings. Therefore, the total square footage of retail space, 182,015 sq. ft., taken at \$20/sq. ft., vill yield a gross annual income of \$3,640,700. For Scheme B, retail area commists of the new retail mall, 164,115 sq. ft., and space created within the Boley and Harmfeld replacement buildings, 40,300 sq. ft. The total retail area, 184,415 sq. ft., taken at \$20/sq. ft., yields a gross income of \$3,688,300 for Scheme B.

Office rentals for the two hypothetical schemes have been determined with the assistance of the Kanesa City Redevelopment Authority. For this project, located at the heart of the C.B.D., rehabilitated space will not generate rentals as high as those for newly constructed office space. The Redevelopment Authority estimates that rehabilitated space can be expected to generate rentals of \$10-16/sq. ft., while newly constructed office space would generate \$18-20/sq. ft. Having determined that net leasable office space in both schemes is equal, 100,599 sq. ft., gross incomes can be estimated. For Scheme A, which incorporates rehabilitated office space at \$16/sq. ft., total office rentals would amount to \$1,609,000. To the advantage of Scheme B, office rental at \$18/sq. ft., would yield a gross rent of \$1,800,600.

Based upon these figures presented for retail and office space in Scheme A and Scheme B, total gross incomes can be detarained for purposes of comparison. Total net lessable space for Scheme A will generate a gross rent of \$5,249,956. Scheme B, which incorporates newly constructed space, yields a higher figure of \$5,229,056.

Both of these gross incomes can be entered into an economic feasibility model in order to generate maximum project budgets for the two schemes. In conducting an economic comparison for this study, the

intention is to highlight the benefits of current federal tax programs which attempt to provide incentives for rehabilitation and continued use of depreciable historic buildings. (The economic fessibility of Scheme A versus Scheme B will be analyzed in the next chapter.)

Finally, the costs associated with the development of either scheme vary due to the differing cash outlays required to rehabilitate a space, and those associated with new construction

Scheme A requires the rehabilitation of the Bolay, Barrfeld, and Krigel buildings on Block 93. Construction methods and materials are the two principal variables in determining rehabilitation costs/square foot. For this specific project, Scheme A, significant additional costs are associated with rehabilitation of those facedes which do not face the street and are visible above the new three story retail complex. For example, Crosstown Development Corporation estimates that \$250,000 will be needed to rehabilitate the south and east facades of Barxfeld's. (Figure 2.5)

Rehabilitation costs for the Harrfeld and Boley buildings have been determined by Crestown in conjunction with their Galleria Town Denter project. The Galleria was proposed for construction in 1982 when Crosstown possessed the development rights to Block 93. The development firm assortained that both buildings were in good condition. Therefore, the rehabilitation costs, adjusted for infilation, were kept to a reasonable sum: \$43,40/square foot for Harrfeld's and \$42,50/square foot for the Boley Building. In the case of all three conservial buildings, including Krigel's rehabilitation, cost estimates pertain to both retail and office space. The Boley building, containing a total of 59,625 sq. ft., will be rehabilitated at a cost of \$2,590,651, Marrfeld's contains 97,178 sq. ft. of press area, which incurs

a total rehabilitation cost of \$2,481,525.

The Krigel building rehabilitation estimate has been separated from the above estimates for two reasons. First, the rehabilitation cost estimate is based on figures from the J.E. Dunn Construction Company, a consultant to ArV for the actual redevelopment of Block 93. Second, the cost estimate is well over double the figures listed for rehabilitating Harmfeld's and the Boley building. Dunn Construction has determined that Krigel's can be rehabilitated at a cost of \$95.50/square foot. The major reason for this higher amount is that Krigel's presently does not conform to the city's building codes. Specifically, the structure's floor joints are wood in contrast to required fire-resistant steel or concrete framing members. Schabilitation would entail the replacement of these wooden joints with more fire-retardant substitutes, a major expense in terms of both labor and materials. Schabilitation expenditures for the 37,000 sq. ft. Krigel building would amount to a figure of \$3,664,200.

Both Scheme A and Scheme B will absorb the cost of the proposed 151,700 sq. ft. retail mall. Development costs for new retail construction have also been determined from estimates supplied by J.E. Dunn Construction. They anticipate that the new mall can be created at a cost of 359,27/sq. ft., or \$15,982,260 total.

In conjunction with this cost estimate, figures can be generated for the retail space constructed within each of two replacement structures in Scheme B. As stated in the earlier building descriptions, total retail space within the replacement structures is 45,400 sq. ft. Using Dunn's cost estimate of \$89,27/sq. ft., new retail space in the lower three stories of both the Hartfeld and Soley replacement buildings

will cost \$4,053,483.

The remaining floors of these two buildings as well as the upper four floors of the krigal replacement building will generate 100,590 eg.ft. of new office space. Though this area is equivalent to that of Scheme A, cost will be higher for the new construction. The Kanasa City Redewelpopent Authority estimates that generic office space in the C.B.D. would be developed at \$80/square foot. (Generic implies that a superior quality finish is not incorporated for this space; although, it is possible that AT+T would pay \$110-120/eq. ft. for a high quality space.) Assuming the Redevelopment Authority's figure of \$80/sq. ft., office space in the three replacement buildings will total \$80,047,200.

Total project costs can be tabulated for both Scheme A and Scheme B using the Individual cost figures. Scheme A includes the rebabilitation costs associated with the preservation of the three surviving commercial buildings. Total project cost equals \$22,25,400. For the new construction project, Scheme B, total costs will reach \$37,094,888. Scheme B project costs exceed those of Scheme A by \$4,818,439. When economic feasibility analyses are conducted in the following chapter, the impact of a 25% investment was credit for Scheme A will be highlighted. The effect of this tax incentive will be to reduce rehabilitation costs and thus, increases the cost difference between Scheme A and Scheme B.

Table 2.1. Summary of Project Considerations

	Scheme A	Scheme B
Leasable Retail Area (excluding mall)	37,909 sq. ft.	40,364 sq. ft.
Leasable Retail Mall Area	144,115 sq. ft.	144,115 sq. ft.
Leasable Office Area	100,591 sq. ft.	100,591 sq. ft.
Total Leasable Area	282,615 sq. ft.	285,070 sq. ft.
Retail Rent <sup>+</sup>	\$20/sq. ft.	\$20/sq. ft.
Office Rent <sup>++</sup>	\$16/sq. ft.	\$18/sq. ft.
Total Gross Income	\$5,241,936	\$5,299,036
Rehabilitation Costs	\$8,679,788	
New Construction Costs.		
Retail	\$89.27/sq. ft.	\$89.27/sq. ft.
Office		\$80/sq. ft.
Total Construction Costs	\$22,222,047	\$26,502,302

<sup>+</sup>estimated in conjunction with Crosstown Development Corp.

<sup>\*\*</sup> estimated in conjunction with K.C. Redevelopment Authority

<sup>\*</sup>estimated in conjunction with Crosstown Development Corp. and J.E. Bunn Construction Co.

<sup>\*\*\*</sup> estimated in conjunction with David Bower (Office of Housing and Community Development, K.C.,  $MD_*$ )


<sup>\*\*\*</sup> estimated in conjunction with K.C. Redevelopment Authority


Figure 2.1. Scheme A Site Plan (key on page 26)

	A	В
	F	
E	n	c

Figure 2.2. Scheme B Site Plan (key on page 26)

	A*	3'
F'		
	ā	
E,	∞'	





## Table 2.2. Key to Site Plans

### Cahama

5 6.11			
Α.	New Retail Mall	Α'.	New Retail Mall
В.	Harzfeld's, Inc.	В'.	Harzfeld's Replacement
c.	Krigel's Jewellery	യ'.	AT+T Teleconferencing (including Krigel's
D.	AT+T Teleconferencing		replacement)
в.	Boley Building	Ε'.	Boley Replacement

F. Passageway F'. Passageway

Table 2.3. Key to Axonometric Drawings

Scheme A	Stories	Scheme B
A. New Retail Mall	3 3	A'. New Retail Mall
B1. Harzfeld's Retail	2 3	B1'. Harzfeld's Replacement Retail
B2. Harzfeld's Office	9 8	B2'. Harzfeld's Replacement Office
C2. Krigel's Office	4 3	C2'. Krigel's Peplacement Office
Ci. Krigel's Retail	2 3	CiD'. AT+T Teleconferencing
D. AT+T Teleconferencing	3 -	(including Krigel's replacement)
E1. Boley Retail	2 3	E1'. Boley Replacement Retail
E2. Boley Office	4 3	E2'. Boley Peplacement Office
F. Passageway	3 3	F'. Passageway
	3	G'. Peplacement Office (1 story/building)
	32 32	(1 story/buriding)



Figure 2.5. Harzfeld's, Inc. (south facade)

#### III. MONETARY VALUE

### Introduction

Until the latter half of the 1970's, the economics of real estate development were heavily in favor of new construction. It was economically unfeasible for older buildings to compete on an equal basis with brand new buildings.

However, a reversal in this development trend has been stimulated through such occurrences as skyrocketing costs of energy-intensive new construction and renewed interest in the conservation of one's neighborhood. Federal legislation has acknowledged this new direction with Congressional passage of both the Tax Reform Act of 1976 and the Economic Necremy Tax Act of 1981 (S.R.T.A.).

The latter tax program includes a highly significant incentive to encourage the reuse of historic buildings as a viable alternative to new construction. An Investment Tax Credit (I.T.C.) of 2% is allowed to offset rehabilitation costs for work undertaken on an income-producing and certified historic building or district. Following Congressional passage of an amendment to the 1981 tax act, investors claiming the 2% I.T.C. must, for depreciation purposes, reduce the basis in their building by one-half the value of the I.T.C. (the basis in the building is its acquisition cost plus any capital improvements minus any depreciation deductions taken.) Otherwise unchanged, the 1981 tax act (S.R.T.A.) allows an investor to deduct the entire 2% I.T.C. from taxes owed in

that year.

As amended by the Tax Treatment Extension Act of 1980, the Tax Treatment Extension Act of 1976 ontains a preservation incentive that allows a building's owner to donate a partial interest in an historic property to a charitable organization and receive an income tax deduction equal to the value of the donation. In donating the partial interest, a facade easement, the owner normally surrenders the right to make unrestricted alterations to the external appearance of the building, 7 For this study, valuation of the facade easement for tax deduction purposes has been estimated based upon building acquisition and rebab. costs. The principal street facades of the Boley Building, Harmfeld's Inc., and Krigel's Jewellery were valued for a facade easement.

The facade easement and investment tax credit apply only to Scheme A, the preservation alternative. In order to enphasize the ispact of the tax incentives on Scheme A, Table J.4, shows tax deduction in year 1 of the I.T.C. and tax deduction in year 2 of the facade easement, following Scheme A's placement in service. If so inclined, an investor could spread the I.T.C. over five years. The facade easement, on the other hand, is a one-time deduction. Its placement in year 2 of Table J.4. distinguishes the economic value of the easement from that of the I.T.C. which was deducted in year 1. In the remainder of the economic feasibility tables that follow, all other financial criteria are applicable to both Scheme A and Scheme B. Project costs and incomes have been estimated in order to project a five-year cash flow. Conventional nortgage financing at 12,5% over 30 years in standard for both Scheme A and Scheme B as straight-line depreciation over a 15 year recovery period,

For the sake of clarity the new retail mall, a component of both

Schemes, has ween separately considered. However, a five-year cash flow has been estimated from project costs and income in exactly the same way as in Schemes A and B. The return on investment (R.O.I.) from the retail and will apply to both Scheme A and Scheme B.

Table 3.1. Scheme A Project Costs

I. Acquisiti	on Costs		
1. Acquierts	Land	Building	Total Cost
Bolev	\$327.250	\$62,000	\$389,250
Harzfeld's	\$245,800	\$590,900	\$836,700
Krigel's	\$225,420	\$325,926	\$551.346
			31,777,296
II. Construc			
	Gross sq. ft.	Rehab./sq. ft.	Total Cost
Boley	59,625 sq. ft.	\$42.50/sq. ft.	\$2,534,063
Harzfeld's	57,178 sq. ft.	\$43.40/sq. ft.	\$2,481,525
Krigel's	37,200 sq. ft.	\$98.50/sq. ft.	\$3,664,200
			\$8,679,788
III. Indirec	t Costs		
Financing Fee	on fee on permanent	loan)	\$81,832
Legal Fee (1.5% of dire			\$130,197
Partners Fee (3% of direct costs)			\$260,394
Architectural/Engineering Fee (% of direct costs)			\$607,585
!easing Fee (% of gross effective income)			\$157,448
Construction			\$1,227,927
(14% of direc	t costs over 18 mon	ths)	\$2,465,383

# IV. Total Cost

Acquisition	\$1,777,296
Construction	\$8,679,788
Indirect	\$2,465,383
Total Cost	\$12,922,467

before Debt Service	\$2,367,636	- \$118,382
III. Net Operating Income (N,O,I.) before Debt Service	Total Annual Gross Income (Retail and Office)	Vacancies (5%)
I. Annual Gross Income from Net Leasable Area	Retail sq. ft. Boley 17,000 sq. ft. Harzfeld's 9,909 sq. ft.	Krigel's 11,000 sq. it.

2,249,254 \$142,058 \$94,705 \$94,705 - \$473,527 - 3134,955 \$1,309,304

74	d	44	1	,	1	
Total Annual Gross Income (Retail and Office)	Vacancies (5%)	Annual Gross Effective Income	Property Taxes/Insurance (6% of gross effective income)*	Management Fee (4% of gross effective income)*	Haintenance Fee (45 of gross effective income)*	Operating Expenses (20% of total gross income)
17,000 sq. ft. 9,909 sq. ft.	37,909 sq. ft.	\$20/sq. ft.	\$758,180	22,000 sq. ft.	100,591 sq. ft. \$16/sq. ft.	\$1,609,456
Retail sq. ft. Boley Harzfeld's	e vegeru	Rent/sq. ft.	Annual Retail Income	Office sq. ft. Boley Harsfeld's Krigol's	Rent/sq. ft.	Annual Office income

Leasing Fee (6% of gross effective income)\*

\$758,180 \$1,609,456 \$2,367,636

II. Total Annual Gross Income Annual Retail Income Annual Office income

Total Gross Income

Annual N.O.I. before Debt Service

percentages estimated in conjunction with Historic Kansas City Foundation.

## Table 3.3. Scheme A Financing and Depreciation

## I. Financing

Total Project Cost	\$12,922,467
Loan to Value Ratio	x .75
Mortgage Loan	\$9,691,850
Debt Service Constant	x .1288
Debt Service	\$1,248,310
Net Operating Income	\$1,309,304
Debt Service	-\$1,248,310
Cash Flow/ Annum	\$60,994
Total Project Cost	\$12,922,467
Mortgage Loan	- \$9,691,850
Equity Required	\$3,230,617

#### TT Dermodiation

II. Dept detacton	
Building Acquisitions (excluding land)	\$978,826
Rehabilitation Direct Costs	+ \$8,679,788
Financing Fee	+ \$81.83
Architectural/Engineering Fee	+ \$607,585
Construction Loan Interest	+ \$1,227,92
	\$11,575,95
Investment Tax Credit	- \$986,781
-	\$10,589,175
Recovery Period (15 years)	÷ 1
Demmadat on / tunum	\$705 Q/u

<sup>\*</sup>amortization of mortgage loan at 12.5% over 30 years

Net Operating Income.	\$1,309,304	\$1,309,304	\$1,309,304	\$1,309,304	\$1,309,304
Interest on Debt Service 12,5%.	-\$1,211,481	-\$1,207,847	-\$1,203,001	-\$1,198,155	-\$1,192,098
Depreciation.	- \$705,945	- \$705,945	- \$705,945	- \$705,945	- \$705,945
Profit/Loss.	- \$608,122	- \$604,488	- \$599,642	- \$594,796	- \$588,739
Tax Rate 50%.	× 50	× ×50	× ×	×	× 50
Taxes Owed (+/-).	- \$304,061	- \$302,244	- \$299,821	- \$297,398	- \$294,370
Cash Flow.	\$66°09\$	\$66,09\$	166*09\$	166 09\$	\$60,994
Tax Savings (+/-).	+ \$304,061	+ \$302,244	+ \$299,821	+ \$297,396	+ \$294,370
Investment Tax Credit.	+\$1,973,567	:	;	:	:
Facade Easement.		\$866,107			
Return on Investment.	\$2,338,622	\$1,229,345	\$360,815	\$358,392	\$355,364
Return on Investment Cumulative %.	72%	110%	121%	132%	1436

net operating income after subtraction of debt service

## Table 3.2. Scheme B Project Costs

## I. Acquisition Costs \$1.777.296\*

\*same total as Scheme A

## II. Demolition Costs \$286,696\*\*

\*\*all other demo. included in direct retail costs

> V. Total Cost Acquisition \$1,777,296 Demolition \$286,696 Construction \$12,960,043 \$2,716,871

Indirect Total Cost \$17,740,906

## III. Construction Costs

	rigel eplacement
Retail Cost/	T+T Tele-
94. 14.	
Total Cost \$2,661,407 \$1,392,076	
Gross Office sq. ft. 39,750 sq. ft. 46,782 sq. ft. 2	4,800 sq. ft.
Office Cost/ sq. ft. \$80/sq. ft. \$80/sq. ft. \$	80/sq. ft.
Total Cost \$3,180,000 \$3,742,560 \$3	1,984,000

Total Retail and Office Cost. \$12,960,043

IV. Indirect Costs ***	
Financing Fee	\$91,081
Legal Fee	\$194,401
Partners Fee	\$388,801
Architectural/ Engineering Fee <sup>+</sup>	\$484,579
office only	
Leasing Fee	\$160,713
Construction Loan Interest	\$1,706,515 \$3,026,090

<sup>\*\*\*</sup> same percentages as Scheme A

III. Net Operating Income (N.O.I.)	Total Annual Gross Income (Retail and Office)
Area	
I. Annual Gross Income from Net Leasable Area	t.: Boley Replacement 25,500 sq. ft.
Met	25,5
from	ent
Incone	t.; Boley Replacem
Cross	94. f
Annus	Net Retail sq. ft.; Boli Rep
i	Net

A	p.	×		20	
Replacement 14,864 sq. ft.	-	40,364 sq. ft.	\$20/sq. ft.	\$807,280	
Replacement	Krigel Replacement		Annual Rent/sq. ft.	Annual Retail Income	
			nnnal	nnual	

8	. pe
34,000	44,591
Boley Replacement	Harzfeld Replacement 444,591
·	
BOT 1	

i t	
00 sc	
ent 22	
eplacen	
	9

t. \$16/sq. ft.	sone \$1,609,456	Gross Income	5807,280
Annual Rent/sq. ft.	Annual Office Income	II. Total Annual Gross Income	Annual Retail Income

-1	near will	1. TOTAL AIRING ULOOP THOOMS	THOOMS
nnual	nnual Retail Income	Income	\$807,280
nnual	nnual Office Income	Income	\$1,609,456
otal	otal Gross Income	10000	\$2,416,736

.111		The same	Attoone	The state of the s	2		2044
Fotal (Retai	Total Annual Gross Income Retail and Office)	Gross (ffice)	Income		\$2,416,73	136	

- \$120,837	\$2,295,899	- \$145,004	699'968 -	699'968 -	- \$362,510
cancies (5%)	nual Gross Effective Income	operty Taxes/Insurance*	agement Fee*	Intenance Fee*	** 5% of total gross income)

	thcone)**	
aintenance Fee*	Operating Expenses (15% of total gross to	
ainte	Dperat	

36

- \$362,510	- \$137,754	\$1,457,293
perating Expenses 15% of total gross income)**		
gross		before
g Expe	* ee *	vice
peratin 15% of	easing Fee	nnual M.O.I. before

<	
Scheme	
9.0	
percentage	
same	

oundation
City F
Kansas
63

<sup>\*\*</sup> Historic

\$4,512,532

## Table 3.7. Scheme B Financing and Depreciation

## I. Financing

Total Project Cost	\$18,050,125
Loan to Value Ratio	x,75
Mortgage Loan	\$13,537,593
Debt Service Constant*	x1288
Debt Service/Annum	\$1,743,642
N.O.I. before Debt Service	\$1,596,932
Debt Service	-\$1,743.642
N.O.I. after Debt Service (Cash Flow)	-\$146,710
Total Project Cost	\$18,050,125
Mortgage Toen	-\$13,532,593

# Equity Required II. Depreciation

New Construction Direct Costs	\$12,960,043
Financing Fee	<ul><li>\$91,081</li></ul>
Architectural/Engineering Fee	+ \$484,579
Construction Loan Interest	* \$1,706,515
	\$15,242,218
Recovery Period (15 years)	+ 15
Penreciation / Annus	\$1.016.148

<sup>\*</sup>amortization of mortgage loan at 12.5% over 30 years

	Year 1	Year 2	Year 3	Year 4	Year 5
M.O.I. before Debt Service.	\$1,596,932	\$1,596,932	\$1,596,932	\$1,596,932	\$1,596,932
Interest on Debt Service 12.5 %.	-\$1,692,205	-\$1,687,148	-\$1,680,348	-\$1,673,548	-\$1,665,178
Depreciation.	-\$1,016,148	-\$1,016,148	-\$1,016,148	-\$1,016,148	-\$1,016,148
Profit/Loss.	-\$1,111,421	-\$1,106,364	-\$1,099,564	-\$1,092,764	-\$1,084,394
Tax Bate 50%.	× ×	× 50	× *50	× .50	× 50
Taxes Owed (+/-).	- \$555,711	- \$553,182	- \$549,782	- \$546,382	- \$542,197
Cash Flow. **	- \$146,710	- \$146,710	- \$146,710	- \$146,710	- \$146,710
Tax Savings (+/-).	+ \$555,711	+ \$553,182	+ \$549,782	+ \$546,382	+ \$542,197
Investment Tax Credit,	:	1	1	1	1
Facade Easement.	1		1	-	
Return on Investment.	\$409,001	\$406,472	\$403,072	\$399,672	\$395,487
Return on Investment Cumulative %.	*	18%	54.2	364	354

\* not applicable to new construction

<sup>\*\*</sup> net operating income after subtraction of debt service

#### Table 3.9. New Retail Mall Project Costs

## I. Acquisition Costs

<u>Land</u> <u>Building</u> <u>Total Cost</u> \$1,669,200 \$1,611,545 \$3,280,745

## II. Demolition Costs

\*included in direct costs/sq. ft. (\$89.27/sq. ft.)

#### III. Construction Costs

Gross Sq. Ft. Cost/Sq. Ft. Total Cost 151,700 sq. ft. \$89.27/sq. ft. \$13,542,259

## IV. Indirect Costs

Financing Fee \$108,627
Legal Pee \$203,13%
Fartners Fee \$406,268
Architectural/Engineering Fee\*
\*included in direct costs/sq.ft.

Leasing Fee

Construction Loan Interest \$1,581,276

## V. Total Cost

Acquisition \$3,280,745 Construction +\$13,542,259 Indirect +\$2,490,978 \$19,313,982

\$191,673

<sup>\*\*</sup> same percentages as Scheme B

I. Annual Gross Income from Net Leasable Area

144,115 sq. ft. \$20/sq. ft.

Net Retail sq. ft.: Annual Retail Income Annual Rent/sq. ft.

\$2,882,300

II. Total Annual Gross Income

- \$144,115 \$2,738,185 Annual Gross Effective Income Total Annual Gross Income (Retail and Office) Vacancies (5%)

Property Taxes/Insurance

\$172,938

\$432,345 \$115,292 \$115,292 Operating Expenses \*\* Kaintenance Fee \*\* Nanagement Fee

\$164,291 \$1,738,027 Annual N.O.I. before Debt Service Leasing Fee

same percentage as Scheme B

## Table 3.11. New Retail Mall Financing and Depreciation

## I. Financing

Total Project Coet Loan to Value Ratio Mortgage Loan Debt Service Constant* Debt Service	\$19,313,96 x \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Net Operating Income	\$1,738,02
Debt Service	- <u>\$1,865,73</u>
Cash Flow / Annum	- <u>\$127,70</u>
Total Project Cost	\$19,313,96
Mortgage Loan	- <u>\$14,485,48</u>
Equity Required	\$4,828,49

## II. Depraciation

New Construction Direct Costs Financing Fee	\$13,542,259 + \$108,627
Architectural/Engineering Fee	
Construction Loan Interest	+ \$1,581,276
	\$15,232,162
Recovery Period (15 years	+15
Denreciation / Annum	\$1,015,478

<sup>\*\*</sup>included in New Construction Direct Costs

<sup>\*</sup>amortization of mortgage loan at 12.5% over 30 years

net operating income after subtraction of debt service

Table 3.13. Summary of Feasibility Analysis Considerations

	Schene A	Scheme B	Retail Mall
Project Cost:	\$12,922,467	\$18,050,125	\$19,313,982
Project Income			
-before debt service:	\$1,309,304	\$1,596,932	\$1,738,027
-after debt service:	\$60,994	-\$146,170	-\$127,704
Return on Investment: (5 yr. cumulative)	\$4,642,538	\$2,013,704	\$2,287,910

#### Summary of Findings

Exciding the new retail mail, common to both Scheme A and Scheme B, the economic feasibility analysis demonstrates that preservation tax incentives greatly enhance the dollar value of rehabilitation as an alternative to new construction. (Without the Investment Tax Credit and Facade Easoment Scheme A would provide a cumulative Seturn on Investment lass than Scheme B, \$1,802,864.)

In this study total rehabilitation costs prove to be less than total new construction costs which means that if debt financing is the same for both projects, Scheme A will generate a greater cach flow (not operating income after debt service) than Scheme 3. Even though Scheme 3 generates a greater met operating income before debt service, the higher costs of new construction carry a greater mortgage burden than Scheme A. The derived figures for construction of the new retail nall reinforce these findings. A negative cach flow results from high project construction

costs.

The feasibility analysis bears out the fact that dollar for dollar, including tax incentives, rehabilitation is "the only game in town."

It must be stated that modern bullding technologies which account for the size of new construction can render older landarks economically obsolete. If not for pressure from special-interest groups for preservation of the character and scale of "retticent Lane," the three landark replacement structures in Scheme B could have enveloped 30 stories of air space under current soning laws in Kansas City. In order to elucidate the economic consequences of such a scenario, Scheme B<sub>1</sub> appears as Appendix 1. Scheme B<sub>2</sub> findings will illustrate the threat to many other urben landarks in spite of federal tax programs that encourage their retrieval and continued use.

#### IV. NON-MONETARY VALUE

#### Historical Significance: Downtown

Two principal developments in the decade of the 1860's acted as catalysts in the rapid growth of Kansas City. The expansion of the railroad, specifically the Missouri-Pacific in 1865, provided a vital link with the Southwest as well as St. Louis and Chicago. The rapid development of the railroad in Missouri was stimulated by St. Louis' connectition with Chicago for commercial primacy in the region of the Upper Mississippi Valley. The railroad served as a funnel through which one could receive manufactured goods and could ship agricultural products to the eastern half of the United States. The railroad had been accommodated through the spanning of the Missouri River with the Hannibal Bridge in 1869. Octave Chanute was responsible for the engineering feat which had to overcome unpredictable water currents and wind problems in order to be constructed. The bridge as well as the railroad were largely responsible for the swell in urban population. Between the years of 1865 and 1870 the population expanded from 6,000 to 30,000 in metropolitan Kansas City.

In 1869 Mayor Samel D. Vaughm, an early speculator in real estate, commissioned the erection of a commercial bullding at the intersection of 9th, Maine, and Delaware Streets. Two blocks from Tetticoat Lame" this corner, known as the "Junction," became the most strategic intersection in Kamasa City. It was the primary terminal for the growing

cable one system which contributed to a transformation of 9th Street into the financial, social, and cultural center of the city. The mayor's commercial building, labelled "Waughn's Diamond," was the centerpiece of the district. Now desolished, the mansard-roofed structure was a lynchpin in the development of the downtown "... the vagartes of desolition and renovation have removed almost all nineteenth century mansard-roofed buildings in the city, and, in fact, most of the buildings from the 1860's and 70's as well." The intersection at "Waughn's Diamond" was the busiest in the city for over forty years. It contributed to the growth and development of "Tetticost Iane" during the major building decades at the turn of the ensury, c. 1907-20.

The decades of the 1870's and 1880's witnessed development that was to shape the city into form competitive with both St. Louis and Chicago. During the 1870's the wide open cossopolitan delights of opera and theseter, fine rentaurants, and other cultural amenities draw the attention of settlers throughout the Midwest. 10 The "boon" decade of the 1880's started with a flood of settlers into the area which so led consequently to an extensive residential construction industry. In the wake of this urban nigration was subsequent growth of the city's cable car lines, which evolved into the third largest mileage of cable line in the country, and of the downtown business district.

The building bons of this decade produced several significant office buildings along 9th Street. The largest and most prestigious of these structures was the New York Life Insurance Building constructed in 1887. This tall office building, comprised of two flanking ten story blocks and a central twelve story tower, was considered to be one of the great building achievements west of the Mississippi.

Building at this scale was the impetus for several major outside architectural firms to open temporary offices in Kansas City. Among the finest of these designers was the Chicago-based firm of Burnham and Root. and the Easterners McKin, Mead, and White of Boston. Taller buildings were planned and within ten years a series of major tall office buildings dotted the streetscapes of the downtown. The area encompassed by this building development was 8th to 11th Street and Central to Grand. the financial and commercial center of Kansas City. At the southeast corner of this the original central business district was "Petticoat Lane." The historic C.B.D. architecturally presents a microcosm of urban life as it developed here from the 1880's. (In this decade, the 1980's. preservation of this district has become a critical issue. Of the seven structures designed by Chicago's Burnham and Root, only one still stands in Kansas City -- the William Chick Scarritt residence. Real estate market pressures have forced the demolition of all of their suave commercial buildings, the firm's most significant work.)

A plan was presented in 1893 which outlined an overall development for Kanasa City growth. The crucial ingredient in this master plan was the establishment of an extensive park and boulevard system. Four major parks were to be connected by a network of boulevards which defined and separated commercial, residential, and industrial sections. The reasoning behind this long range scheme was to promote planned land use.

I and for one of the four parks was domated to the city by a CO1, Thomas Swopes. A shrewd investor in real estate, Swopes had owned and subdivided into lots a large portion of the C.B.D., including "Tetticoat Lame."

Growth in the commercial downtown continued into this century.

During the first decade, 1900-10, the first examples of skyscrapertype construction conceived for buildings more than 10 or 12 stories appeared in Kansas City. (The term skyscraper denotes a high-rise office building which incorporates modern structural techniques, in particular steel frame construction.) Developed by a local lumber magnate, the R.A. Long Building is considered to be the first skyscraper in the city.

Situated at the northest corner of 10th and Grand, the building as erected in 1906 by a local firm. Shortly thereafter, the Scarritt Building at 9th and 10th was designed with conscious awareness of the architectural style of Louis Sullivan's conserval buildings in Chicago. The discipline and conservation of the new style, especially in its ormamentation, provided a model for a new generation of Kamess City architects.

Supresentative of the better designers of their time are John V. McKeckine and Louis S. Curtise. (Curtise will be discussed in a separate section dealing with his Boley Building on Block 93). McKeckine, like Curtise, is noted for having incorporated structural innovations remarkably advanced for the time. His Guntel Building, 1903-04, is a very early example of the large-scale use of etructural members ands of reinforced concrete. A smaller building in the vicinity of the later skyncrapere, 5th and Walnut, it is clad in ormamental terms cotta. The placement and overall design of the material on the principal facades is reminiscent of Sullvan's work. McKeckine will be further discussed in relation to his Narrfeld Building on "Petticotal Lase."

By 1910, a large, modern city had replaced the small frontier town of the 19th century. The recently completed skyecrapers towered over a downtown area that now centered along 10th and 11th Street. <sup>11</sup> The

following decade would witness the final development of a modern "Petticoat Lame," Main to Grand, that was to survive until this time, April of 1984.

An historical abstract, focusing on "Petticoat Lane," will reinforce the landmark value of its aurviving streatscape to not only those who witnessed its development then, but to those developers now who are resonable for its future.

#### Historical Significance: "Petticoat Lane"

One of the earliest recorded accounts of this district includes a description of Block 93. R.C. Walpole, an original white settler in the city, describes the built environment upon his arrival in 1858. 12 At the southwest corner of 11th and Walnut Streets, on Block 93, was an existing log house occupied by a Judge Smart. The remainder of the block bounded by 11th, 12th, Walnut, and Main Streets was a "beautiful woods pasture of magnificent oak trees." Shortly after Walpole's arrival, land was cleared and a "Christian church" was erected at the northeast corner of 12th and Main, Block 93. Enclosing the block at "different places" were a few wooden sidewalks. Shortlived, the original sidewalks were confiscated by Civil War soldiers during the Battle of Westport and burned for heat in the winter. Wooden sidewalks were reinstalled following the war and continued in use until 1935. At the time of their final removal by the Midwest Paving Company, they were the last surviving block of wooden sidewalks in Kansas City. The wooden planks had run on either side of "Petticoat Lane" from Grand to Main Street. An asphaltic concrete surface was laid on the old base as replacement paving.

R.C. Walpole occupied the first house ever built on Locust Street at the Northeast corner of 12th and Locust. The site was part of a described cornfield that encompassed "... the squares between Minth and Twelfth Streets and Grand and that alley between Cherry and Locust Streets." To the east of this cornfield was a large tract of woodland. Walpole had bought his property in 1865 from the same Judge Smart who resided on the Block 99 site.

Smart had been one of the earliest Kansas City settlers to invest in real estate. He owned 90 acres of downtown land that were bounded by 8th and 18th Streets to the north and south respectively, and Campbell and Baltimore to the east and west. Although no date is given by Walpole in his account, Judge Smart eventually sold his 80 acres which he had bought for \$3,000/acre prior to 1858. A Thomas M. Swope purchased the land at a price of \$200.00/acre. Shortly thereafter, to the horror Judge Smart, Swope divided the tract of land into smaller lots which commanded a price of \$200.00 each. Land speculation had reached Kansas City. Swope's shrewd real estate dealings sncouraged rapid development of the land including what was to become Block 93 and "Fetticoat lanes."

By the 1890's, lith Street from Nain to Crand was developing as a retail district. (Figure 4.1) Women's "ready-to-wear" stores began to replace the many salons that had lined the street. As early as 1891, six women's stores had started business on lith Street. The reputation of the street as a "park" minopping area for women encouraged further growth and development. Carriages, driven by liveried coachmen and drawn by teams of horses, and a few small electric cars transported customers to and from the street. Foretumners of the modern parking meter, iron rings were placed along the curb at intervals for tying horses. To bolster mailes, the women's modes such as Emery Sint Thayer ran their own delivery

services. (Figure 4.2) Large and small items alike could be delivered to customers.

It was during this decade, the 1890's, that the nichmame "Petticoat Lane" came into being. Traditionally, the designation is attributed to Mrs. Minnie McIntyre Wallace of Kansas City. A member of the staff of the "Norse Snow Monthly" during the 1890's, Miss McIntyre wrote poetry which frequently appeared in the Kansas City Star. Her poem of c. 1893, "In Petticoat Lane," was inspired by memories of shopping in Kansas City with her mother: "My mother and I used to trudge down the langth of Main Street frequently. ... After gloating over the Emery Bird Thayer's windows, it was natural that we followed the throng into the crowded little thoroughfare one block long."

In Petticoat Lane 13

(Eleventh Street, From Walnut to Main.)

In Petticoat Lane the maids are

In silken glory and glossy hair. With glean of colors and smart

array,
They flutter along, insouciant, gay.
A breath of heliotrope in the air,
Couples a-laughing and debonair;
Throng with beauty that tiny

square; Stopping, perchance at some shop's

display In Petticoat Lane.

The Frau, Frau of Silken gown is there

And blossoming hats (Dame Fashion's Ware) And smiles fragrance and dimples

that slay
The hearts of the youth who looks
that way:

Heigh-ho! The masculine minds despair

In Petticoat Lane.

And over all is the sun's crisp glare, with crush of Carriages everywhere, And feminine crowds on Saturday, In Petticoat Lame.

#### Minnie McIntyre

The tern "Petticoat Lane" was oppularized and case to denote the two block length of 11th Street from Main to Grand Avenue. Through the 1200's, "Petticoat Lane" was the Principal etreet in the downtown shopping district catering more to women's needs. (Figure 4.)) The tern "Petticoat Lane" demonstrates the aspirations of Kansas City residents to create a cosmopolitan atmosphere within the developing city at the turn of the century. "Tetticoat Lane" parallels London and Parie turn of the century. "Tetticoat Lane" parallels London and Parie summenclature who as "Ficcaddily Circus" and the "Rue de Rivoli." Sigmund Harrfeld, founder of the Harrfeld Parisian Cloak Co., used the designation "Petticoat Lane" to market a line of women's apparel and cosmotic preparations. Though Harrfeld claims the phrase as his idea, inspired by the "Rag Fair," an old clothes mart of the Jews in the east end of London, "Petticoat Lane" appears to have been commonly used prior to Harrfeld's eetablishment in the downtown.

At the turn of the century, the entire length of "Petticoat Lace" on most days was lined by motor cars and horses. Metropolitan street cars ran to all parts of the city. Passengers were charged a five cent fare but received a free transfer. Initially drawn by horse, the street cars were eventually generated by electricity. Shops along "Petticoat Lace" consisted primarily of clothiers and jewellers. At the southeast corner of Main and 11th was the Erowning-King Store, surprisingly, a mational clothing firm for men and boys (Figure 4.4). To the east, at

the northwest corner of 11th and Grand were the offices of the "Kansas City Star" and "Kansas City Times." This tall office building was adjacent to the prestigious Emery Bird Thayer Department Store located at the strategic northwest corner of 11th and Walnut.

The development of the Hotel Baltimore in 1902 at the southeast corner of 11th and Baltimore played a significant role in the growth of the downtown. Designed by the local architect, Louis S. Curtims, the hotel was the largest in the city at that time. Travellers from both the east and other parts of the midwest not only stayed at the Hotel Baltimore but shopped alone Wain and up "Petticoat Lane.".

The reputation of the two block thoroughfare was circulated through the printing of post cards. In c. 1905, S.H. Knox, owner of the S.H. Knox five and ten-cent store which was located directly to the south of Browning-Ying's on Nain, had post cards printed in Leipzig, Germany from actual photographs of "Petticoat Lane" (Figure 4.5). The cards were inexpensive and the postage necessary to send them nationwide was only a penny. In 1905 the mailing of post cards in the United States exceeded two stillion per day. The "Petticoat Lane" postcards sold readily to appreciative Kansas City residents who felt a close affinity with their shopping district.

Through the 1950° "Pettlocat Lase" maintained its reputation as a major Kansas City Shopping district. (Figure 8.6) The Public Works
Department in 1948 suggested that sidewalk space be increased to accommodate the overflow of pedestrians that was often forced into the street. The marrow 56 foot wide thoroughfare encountered pedestrian traffic of 39,000 shoppers on a typical weekday between the hours of 11,00 a.s. to 7,00 p.m. The recommendation of the Public Works was discarded and the relationship

of pedestrian to motor traffic spacs remained unchanged.

Street signs in faminine script, reading "peticoat lane," were installed along llth from Main to Grand in the early 1950's (Figure 4.7). A decade later new, more luminous street lange replaced those that had been installed in the 1990's.

It was not until May of 1966 that lith Street between Grand and Main was oficially designated as "Patticoat Lans." The City Council stated that it was their intention, through the official designation, to denote the small district as a presticious shopping area.

Though signifying the historic and sesthetic value of lith Street, The Council's decision to use the term "Tetticoat Lane" was probably influenced foremost by economic factors. Sincs about 1963 the major retailers along lith Street, including Harnfeld's and Emery Bird Thayer, had suffered dwindling reverses from sales. Emery, Bird, Thayer was forced to shut its doors in 1968. Harnfeld's has managed to stay in business through expansion to the Country Club Plaza and six other locations in regional shopping malls. However, the "Fetticoat Lane" Harnfeld's was forced out of business in January of this year when AT+T acquired the dwelonement rights to Block 99.

In early 1973 the City Council had discussed alternatives for naking the downtown area more competitive with other shopping areas, the Country Club Plaza in particular. Joseph E. Vitt, city development director, stated, "The problem is the inability to aesthetically compete with such shopping centers as the Country Club Plaza. It is that competitiveness that must be regained..." Proposals included the closing of Tetticoat Lama" to notor traffic, an idea which dates back to 1958 when enlightened councilsem realised the threat of developing regional shopping centers. In providing an open pedestrian mall, the intent was to provide the downtown with the kind of focal point needed to draw more development dollars.

During the same council secting, the inception of the idea of redeveloping Block 93 was put forth by council sember Arthur Asel. Though no action on the proposal was taken at that time, its portent was recognized by the private development community.

Bedevelopment of Block 99 was planned in 1980 under the leadership of Stanley Durwood and the Grosetown Development Corporation. In January of 1982 Crosetown purchased the development rights to the entire block. Their plan called for demolition of most of Block 99 and the development of a new enclosed retail mell, mamed the "Galleria." Crosstown also recognized the significance of the "Petitoost Lane" streetscape and incorporated the rehabilitation and linkage of the Marxfeld and Krigel buildings to the new development as part of their plans. In keeping with earlier design proposals, the developer intended to close "Petitoost Lane," Main to Walnut, to vehicular traffic and envelop the space with a steel and glass barrel vault (Figure 6.8). In so doing, "Petitoost Lane," might "easethetically" compets with other retail malls in the area.

Nowever, Crosstown's plans were newer realised as the development rights were transferred to AT-T in August of 1983. The communications giant altered Crosstown's plans as they related to "reticocat Lame." The new plans call for the demolition of Krigel's Jewellery, omission of the transparent barrel vault, and retention of vehicular traffic on 11th. The raxing of Krigel's and the consequent distinution of the Tetticost Lame" streetcape is the pivotal issue which has notivated the present study.

#### Architectural Significance: Lillis Building

Contributing to the "Petiticaat Lane" streetscape at the northwest corner of lith and Walnut is the Lillis Building. Constructed over a two year period, 1968-09, this tall office structure was originally named the Sharp Building. Charles Sharp, a wealthy rallread contractor, was responsible for the building's development. At his death in 1916, Sharp donated the building to the Kansas City Orphan Boy's Home which was administered through the Catholic discesse. The name was later changed to the Lillis Building in honor of Bishop Thomas F. Lillis. The resity office of James F. Lillis, Sr., and his three sons, no relation to Bishop Lillis, purchased the building in March of 1960.

Designed by the Chicago architectural firs of N.R. Vilson, the ten story structure is a fine example of a three-part commercial block with second and third stories acting as a transitional zone (Figure 1.5). Resting upon a caison foundation, the steel frame is sheathed with bricks of varying brown shades. A white terra cotta is used to accentuate the windows of the 10th floor and to clad the projecting cornice above. The shaft of the building, floors three through eight, is fenestrated with double hung sash windows resting upon stose sills. Above the arched windows of the ninth floor a simple terms cotta cornice runs around the principal facades. On the Znd floor, a bay window effect is the result of a slightly projecting central zero grainer landed by narrow side lights set at an angle.

The bullding is in good condition in regard to the exterior, Fehablitation work would be focused on the interior spaces, although total expenses should be within a reasonable budget for most developers. If restored to its original programmatic design, the Lillis building would have shown on the first floor with offices occurving the entire smace above.

#### Architectural Significance: Waldheim Building

Directly west of the Lillie Saliding and completing the north side of the Tetticoat Lane" streetscape is the Waldhein Suilding. Erected within two years of the Lillie high-ries, the Waldhein Suilding of 1910 in a design of the prestigious Chicago architectural firm of D.H. Burnham and Company. Following the pressure death of the partner, John Wellborn Coot, Daniel Burnham continued the firm, formerly Surnham and Root, under his own mame. Burnham's explainticated designs for the tail office building served as models for many skyscraper architects of this century.

Demonstrating his confidence in the future of Emansa City, D.H. Burnham opened a temporary office downtown at the time of the Waldheim Suilding's construction.

Pesting on a foundation of concrete, the sixteen story structure incorporates a steel frame sheathed entirely in terms cotta. Similar to the Lillie Building, the Walcheis is a three-part vertical block with 2nd and 3rd story transitional zone. The base, or 1st story, has been variously altered by retail tenants through the placement of signage. The transitional zone is elegantly fenestrated with Chicago-style windows and capped by a slightly projecting beaded cornice. Directly below this cornice line are terms cott apandrel panels decorated with an ormate swag and sedallion soiff (Figure 1.6). Filasters run between the paired double hung sash windows of the building's shaft, floors four through fifteen. Connecting the pilasters above each floor are sore spandrel panels, each decorated with a pair of rosettee. The attic story is handsomely accontuated through the use of smaller windows set in an arched surround. The resulting arcade creates an harmonious rhythm across the fecade.

The overall condition and programmatic requirements of the Waldhein Building are similar to those of the Lillis. Compensation for the added expense of a terra cotta restoration could be realised through the donation of a facade easement. Still owned by the Waldhein family, this Kannas City Jandmark is irreplaceable.

#### Architectural Significance: The Boley Building.

Located at 12th and Walnut, the Boley Clothing Store Building would be considered a secondary component of the "Fetticoat Lane" streetcage. 
Expanding its business, Boley Clothing had the new building erected in 
1908 as replacement for the old one located on 10th and Main. Although only 
six stories tall, the Boley Building was structurally designed to support 
an additional nine stories. As competition from other clothing retailers 
increased during the next decade, Boley Clothing was forced out of business 
in 1916. A long-term owner of the building was the Kata Drug Company which 
purchased the building in May of 1931. Space was later leased to the 
Three Sisters Specialty Shop, the last remaining tenant prior to AT-T's 
purchase of the block last year.

Officially opened in March of 1009, the Boley Building remained a unique feature of the Kansas City landscape for more than 40 years. To its early Customers who arrived by horse-drawn vehicles and street cars, the Boley Building was referred to as the "Daylight Store" and the "glass building." At the time, heavily ornate structures of masonry were the rule. Nowever, for the Boley project, "Light and plenty of it" was a programmatic requirement adhered to by the architect, Touis S. Curtiss. (see Appendix 2),

In the design of the Boley, Louis Curtiss anticipated the entire range

of metal and glass curtain wall construction that became architectural idion in the 1950's. 15 (Figure 4.9) The Ingenuity of Curtiss in made clear when one considers that steel frame construction was less than a decade old in Kansas City, c.1905. The use of a masonry bearing wall or cast iron construction were the prevailing methods of support at the turn of the century. For commercial architecture, previsions for getting light into a building and for increasing the rentable floor space were major concerns.

In the construction of the Bolsy, Curties demonstrated his mature understanding of the possibilities of the new technology. Resting on a masoury foundation, the steel frame structure carries wall construction of iron, glass, brick, and terrs cotta. With the steel structural sheleton, the wall system needs to carry no weight other than that of its own materials. All loads and streamse were carried directly to the foundation through the steel frame. Thus, the steel frame was the means by which floor space and light penetration could be increamed.

The two principal facades of the Boley are entirely unobstructed by columns creating a true curtain wall of metal and glass. The curtain wall is framed by a white terra cotta comice and end bays which exhibit the refined, original ormamentation of Curtiss. Norisontal bands of cast iron mullioned strip windows separated by horisontal metal spandrels display strong Ark Nouveau influences. Curtiss would have been very finilar with the style for he had studied at the Ecole des Beaux Arts in Paris during the 1800's.

The novel element in the design is the wast expanse of glass that creates a transparent screen from the outside elements. Almost floor-to-ceiling, the windows of the facade incorporate 15,000 equare feet of glass. The steel frame supporting the facade is not visible on the extentor of the

building schancing the open effect created by the expanses of glass. The structure's floors are cantilavered out about five feet from the steel frame. The wall system was then hung from this cantilevered portion of the structure.

At this time, the use of cantilevered construction was a novel structural advancement that Curtiss exploited fully in the design of the Boley Building. Other structural advances explored in the design of this six story commercial store include the use of reinforced concrete floor panels and structural columns of rolled steel.

Formed in panels approximately twenty feet square, the reinforced concrete floor panels rest on steel beams that span the columns in grid-iron form. Creating a more open floor space, the large concrete panels were structural elements that had never been incorporated into a high-rise structure before. Supporting both the concrete panels and the wall system are columns of rolled steel that were fabricated in one piece. Made by the Bethlehen Steel Works in Philadelphia, Pennsylvania, they were the first steel columns ever rolled in the United States. Previously, structural steel columns and consisted of several steel plates riveted together. The structural columns of the Boley weigh 265 lbs./linear foot which translates to an overall figure of 620 tons of steel to form the structural sheleton. It must be remembered that the original plans called for a structure that was canable of supporting an additional hims stories.

## Architectural Significance: Harzfeld's Inc.

Occupying a key "anchor" site in the "Petticoat Lane" retail district is Harzfeld's Inc. Started in 1891 as Harzfeld's Farisian Cloak Co. by Siegaumd Harzfeld, the store moved to its present location in 1913. Over a period of ninety years Harzfeld's was highly regarded as a specialty store for women's and children's clothing.

This "petticost lane" tall office building was constructed by the Deardorff Estate and leased to Harmfeld's which later purchased the building. Designed by John McKecknie, one of the most respected Kansas City architects of the time, 'Harmfeld's is an important example of early skyernper design in Kansas City as influenced by the work of Chicage's Louis Sullivan. The building is designed as a three part vertical block analogous to the three vertical divisions of a classical column base, shaft, and capital. (figure 1.3)

Resting on a concrete foundation, the structure incorporates a steal frame with brick and terra cotta comprising the wall treatment. The two principal facades are faced with white terra cotta panels similar to those of the Valibeis Building. A profusion of classical and original ornamentation extends from base to cornice but its assuredly handled by McKecknie. A discipline and conservation in its handling buly the architect's familiarity with Ohicaeo School decoration.

The highly decorated colossal piers, running the full two stories of the building's base, frame the window openings of the first two floors as well as provide visual support for the upper stories. Separating the base from the shaft is a friese of egg and dart moldings capped by cartouches above the piers. Decorative window surrounds accentuate the pairs of double hung sash windows that run from the third to ninth floor. A vertical emphasis is created through the use of attached piers which continue up the entire length of the shaft and project alightly from the building's wall planes. The windows of the attic story are ormately framed and rest upon a slightly projecting cornice. Above the attic, a projecting modili-

ioned cornice provides a handsome terminus to the vertical thrust of the piers below.

In 1920, an lith story was added to the structure. [secssed and hidden above the projecting cornice, the additional story was designed by Frederick E. Kollvaine, an architect formerly employed by Louis Curtims. Puelve years later, 1932, Kartfeld's was linked to the Krigel building by a passageway above street level. At the time, to accommodate its burgeoning retail trade, Kartfeld's maintained several sanagement offices on the upper floors of Krigel's.

During the 1920's era, Siegmund Harmfeld boasted that his store was the largest exclusively women's shop in the United States. The Yain Street store, his flagship, became one of six Harmfeld's located in Kansas City and Columbia, Missouri. However, the downtown store began to fall in the 1960's as a result of general decentralization problems. The impact of regional shopping malls struck the Central Suminess District. Harmfeld's, as well as other major retailers of "Petiticoat Lane," found it difficult to cover operating expenses as retail males declined. Finally, in the autumn of last year, the Kansas City Hedevelopment Authority ordered Harmfeld's to evacuate their "Petiticoat Lane" store. The development rights to the site, including ownership of this commercial landmark, are now in the hands of APP."

## Architectural Significance: Krigel's Jewellery

In the AT+T regional headquarter plans, Krispil's Jewellery is slated for desolition in April of 1954, The sowe is in response to the corporation's need for a 35,000 sq. ft. unobstructed floor area at ground level, which must be located at the northeast section of Block 93. Integration of this large teleconferencing area with the existing Krigel's structure is considered untenable by the J.E. Dunn Construction Company, AT-T's construction consultants.

Exected in 1907, Krigal's was referred to as the Lillis Bullding until at least 1901. It has been owned at various times by the Lillis "clam," prominent realitors in Kansae City for many years. Ligget brugs was a long-term tenant on the first story. Since 1901 the bullding has assumed a somewhat anonymous identity. Occupancy of the first floor passed from Helberg Diamond jevellers to Krigal's, a jevellery store associated with the downtown since 1910, in the summer of 1973. The store is the jeveller's forth location.

The structure is a very early example of steel frame construction in Emnass City (Figure 1.4). Shepard and Ferrar, an early distinguished architectural firm in the city, were responsible for the building's design. The steel skeleton is sheathed in brick which has been painted white. Separating groupings of double-hung sash windows with transoms, brick plors run from the top of the first story to the base of the entablature which cape the building. An horisontal effect is created through the placement of four continuous bands between the upper stories of the structure. The first story, occupied by Krigel's, has been variously altered in attempts at modernization. (Signs have been variously displayed and the entrance has been newed from the center of the north facade to the mortheset corner.)

Constructed as an investment property by J.S. Lillis, president of the Western Exchange Eank, the building, itself, has little significant architectural value. The oldest aurviving component of the "Petricant Lame" streetcage, Krien's importance lies in its contribution to the historic character of the district. Nark Shapiro, director of Historic Kansas City Foundation, states Krigel's is "..one of the extant buildings of Downtown's most historically significant retail districts, and its size, fensetration, texture, and color contribute to Fetticoat Lane's visual richness." In this contextual value is clearly as important as the architectural value of individual buildings.

The exterior of Krigel's Jevellery is in good condition although, extensive rehabilitation work is required on the interior in order for the structure to comply with current building codes. Vooden floor joists, a fire hazard, would have to be replaced with steel joists mecessitating extensive "hand" labor. Not done on a production basis, this type of work is costly to the developer in terms of both labor and time. Survival of this landmark depends on a delicate "value" equation which compensates for Krigel's economic liability through incorporation of the building's more important non-monetary assets.

#### Summary of Findings

The difference between Scheme A and Scheme B, in terms of non-monetary value, is at the heart of the preservation movement. Scheme A advocates the continued use of three landmark buildings in an ATMT retail/office complex while Scheme B states their demolition in favor of three new replacement buildings.

Determining a non-monetary or aesthetic value for an urban landmark that will justify either its continued use or demolition and replacement is an issue that divides preservationists. The most widely recognized system for developing a non-monetary value is that of Charles Hall Page and Associates of San Francisco. 17 In an inventory of San Francisco's downtown landmarks, Page introduced a system of ranking buildings based on the evaluation of a set of objective criteria. Landmark buildings were ranked on the basis of numerical scores in four categories: historical significance, architectural significance, contextual or environmental significance, and design integrity. (Contextual significance and design integrity relate to a building's contribution to its neighborhood or area, i.e. district, in the case of the former category and a building's retention of original materials and design features in the case of the latter.) Once the numerical scores have been tallied the building is classified under one of four headings: highest importance, major importance, contextual importance, or minor importance.

The rationale behind the ranking system is to develop objective criteria for quantifying aesthetics that are widely recognized and accepted as valid. The analogy between evaluating historic buildings and the grading of fruit or neat by government agencies elucidates the nature of this non-momentary value system.  $^{13}$ 

Though the ranking system bases its non-monetary value on the most important preservation considerations, historical and architectural significance, its generic categorization of urban landmarks is problematic. For one thing, the objective criteria through which a landmark is given a non-monetary value must be consistently applied; otherwise, it can be easily manipulated by private real-metate and business interests.

But most importantly, each parcel of land and the improvements upon it, i.e. the landmark, are unique. This is a basic precept of real estate analysis. It is impossible to separate the nonmonetary value of an urban landmark from its monetary value as a real estate commodity. An urban landmark judged solely on the basis of non-mometary value criteria can interfere with its credibility in the development process. Each historic building in the urban core must be given a value synthesized from economic as well as assthetic considerations. It is the purpose of the following chapter to develops a synthesis of these values.

Taking the attitude that enlightened preservation must transcend the constrictions of a generic ranking system, the landmarks of Block 93 and "Tetticoat Lane" have been evaluated on the basic of their architectural merit and their unique historic significance to downtown Kanasa City.

"Petticoat Lane" as it evolved into the hub of Kansas City's retail district is an irreplaceable historic district. Based on the considerations of architect, design, and stature within the history of commercial building, three landmarks within that district also have a eignificant architectural value. D.H. Burnham'e value building, and the Boley and Harwfeld Buildings of Block 93 represent highest quality commercial design at the turn of the century.

Determining the architectural value of several other individual buildings within that historic district, however, is not as clearly achieved. These landmarks, which are of leseer quality individually but of high group value, depend on their recognition as components of a more highly valued historic dietrict. Having no eignificant architectural merit as an individual landmark, Krigel's Jewellerv on Block 93 is a "weak link" outside of its value as a component of "Petticoat Lane." Ironically, Krigel's can also be considered a "lynchpin" in the district. The demolition of this minor landmark, hypothetically, could trigger a domino effect. Without Krigel'e, "Petticoat Tane" would not contain enough buildings to comprise a certified historic district eligible for the National Register. As a result, preservationists would be lese able to justify their opposition to the demolition of the more significant landmarks within the district. The non-monetary value of "Petticoat Lane" as an historic dietrict outweighs the non-monetary value of individual historic buildings within the district.

Scheme B assumes the total clearance of all structuree from Block 93. Such a redevelopment would erase one half of the surviving "Petticoat Lame" streetscape and any justification of a historic district. As previously described, such a radical development decision could have further repercussions, i.e. the future desolition of the fillis and Waldheim buildings.

This important consideration maide, the non-monetary value of Scheme A versus Scheme B focuses on the prospective design quality, or architectural value of the three landmark replacement buildings in Scheme B. Under normal circumstances, a subjective meethetic appraisal would entail consideration of plan, materials, design details, measing, and composition of elements. These major characteristics could be directly correlated and compared with their countermarts in Scheme A.

However, pressure from special-interest groups (Historic Manasa City Foundation and the Landanarks Communication has resulted in a modification to what would have been a completely new design for all of Block 93. Scheme B addresses this modification; the scale, texture, and design of the three replacement buildings will approximate those of the demolished landarks,

Under such circumstances, the architect of Scheme B is restricted in terms of dealign development. To a large degree, the designer must consider the massing, composition of elements, and choice of materials of the demolished landmarks. Only design detail and plan considerations will afford the architect opportunity for creative license.

One definite advantage of Scheme B is the prospect of a more homogeneous total design for Block 93. New construction of the entire block would alleviate the difficult problem of integrating old with new construction. Venturi's addition to the Oberlin College Art Gallery and the new auditorium added to All Faithe Chapel at Kanesa State illustrate varying attitudes toward this design challenge. Few designs integrating old with new have proved wholly satisfactory.

When the non-mometary value factors of historical and architectural significance are considered in reference to a Block 93 redevelopment, two judgence one formulated. The historical value of the "Petticoat Lame" streetcape is comparable to that of the Vieux Carre in New Orleans or other cialiar urban core districts that etimulated the subsequent historic growth of a city'e downtown. Scheme 8, an interpretive replacement of the "Petticoat Lame" streetscape is no substitute for the citil extant historic ""etiticoat Lame."

In terms of an individual buildings architectural significance, with the exception of Krigel's Jewellery, the Harafeld and Boley building are of high value to Kansas City. In the case of the Boley, an international value attaches to its structural innovations. One could argue that the architects of Scheme B could surpass the design qualities of these landmarks but such a proposition is highly uncertain and risky at bost.

On the basic of these judgments, all components of the "Petticoat Lame" streetcape as represented in Scheme A should survive intact.




Figure 4.1. "Petticoat Lane" (from the west) 1899



Figure 4.2. Emery Bird Thayer: horse and wagon delivery fleet c.1895-1905




Figure 4.3. "Petticoat Lane" (from the east) 1928



Figure 4.4. Browning-King Store, 11th and Main (right) c.1900

# Post Card From Old Kansas City



Figure 4.5. "Petticoat Lane" Fost Card c.1895-1905




Figure 4.6. "Petticoat Lane" (from the east) 1952



Figure 4.7. Feminine Script Street Sign 1952

Figure 4.8. Crosstown Development's Proposed Barrel Vault

77




Figure 4.9. Boley Building (from the southeast) 1910

### V. SYNTHESIS VALUE

The field of historic preservation is still in its infancy. As a result, the conceptual parameters of preservation are still being defined. James Tarston Fitch, an educator in the field, juxtaposes the conceptus of "procetion" and "retrieval and recycling of the historic environment" in trying to more precisely define parameters of historic preservation.

Fitch's two concepts are definitely related and both accurately

define the primary notivating forces behind the preservation novement. Nowever, even though there is correspondence between "protection" and retrieval and recycling," there is one polymant difference. The concept of protection inglies that an element of the historic environment has been judged worthy of preservation and, therefore, should remain intact. Examples within this conceptual context would include Jefferson's Nonticello in Virginia and the Statue of Liberty on Ellis Island. Protection of these landmarks should exclude their monetary value, or economic liability, to the community. In the case of these exceptional landmarks, one would find few adversaries to their protection in spite of the high cost associated with their maintenance relative to their lesser income-producting capacities.

In contact to the concept of protection, retrieval and recycling sore closely corresponds to the preservation of more generic historic landmarks, such as our city's stock of historic commercial buildings. Those buildings of character and integrity from a past age that have a lesser non-momerary value than Nonticello or Nourt Vermon. Survival of these historic buildings will ultimately depend on their ability to "earn their keep."

Protection of the exceptional landmark can be executed with consideration of only non-monetary value factors. However, the retrieval and recycling of the greater part of our historic built environment will warrant consideration of monetary-value factors in addition to non-mometary value factors.

This project has focused on three historic consercial buildings on Blook 93 in the heart of Kansas City's Central Business District.
Though highly significant from the standpoint of the gressrevationist, these consercial buildings may not survive on the basis of their non-monstary value alone. Unless a finely balanced economic equation is put forth, a viable, total scheme involving the retrieval and recycling of the three landmarks will newer materialise.

The validity of this argument is best understood when one considers the frustration the Landaurks Commission of Kansas City experienced in their attempt to negotiate with ATST Corporation, the developer of Block 93. Jans Flynn, Executive Director of the Landaurks Commission, stated: "It is unfortunate that preservationists are continually placed in the posture of defending significant buildings. In the instances of ... the core downtown planning, we were brought into the planning stages after the plans had well passed the initial stages." 19

It is apparent that the Landmarks Commission was omitted from the initial planning stages of the Elock 93 development because the Commission's stance would have favored the "protection" of the three landmarks. Their stance would have been primarily influenced by the non-sometary values of "Petticoat Lane" and its contributing individual landmarks on Block 93. Without consideration of the sometary value aspects involved in the retrieval and recycling of the historic commercial buildings, the Landmarks Commission was perceived as a potential adversary by the Block 93 developer, ATMT.

A somewhat analogous situation can be observed concerning Mistoric Kannas City's role in the development process. Ristoric Kannas City Foundation advocated the adoption of a ranking system similar to that used in San Francisco. On the basis of such a system it is highly probable that all three landmark buildings on Block 93 would have fared very well. Though approached from a different angle, the thrust of the Foundation's views is identical to those of the Landmarks Commission; protection of Block 93's landmarks is paramount to economic considerations. (However, the Foundation was, overall, pleased with ATM's redevelopment planning. The retrieval and recycling of Bartfeld's and the Boley Building are incorporated in the developer's current planning.)

Although the stance adopted by the two largest preservation groups in Kansac City is not sufficient for an effective dialogue with ATMT, the developer of Block 93, it is representative of the basic values, non-mometary in nature, benind the preservation movement. In reference to the ranking of buildings, which attempts to quantify the intampthic historical and architectural qualities of an historic building, the proponents of the San Francisco system eloquently express the motivation underlying the efforts of preservation groups: "The objective is not 'preservation' in the narrow, treditional sense, but preservation in its most enlightened sense, where it cases to be the goal of some special-interest group and becomes the proper goal of the entire city. The goal is not preservation; the goal is the city. The sense is preservation. CD

The key wording in this statement is "...the proper goal of the entire city." Preservationists are fully entitled to participate in a dialogue concerning the proper goals of the city. But, they are only one of two special-interest groups that provide input concerning a city's proper development goals. With the city planning commission acting as mediator, the real setate dsveloper also provides significant input concerning proper courses for municipal growth. Frequently, the disparity between the preservationist's goals and those of the dsvsloper centers upon what are the most significant valus considerations. As stated, the preservationist's perception of non-monetary value cannot always stand unquestioned by the developers concern for return on investment, or monetary value. Sasking an orderly dayslopment within the framswork of the law, a city's planning commission will have the responsibility of judging all value considerations and thus, dstermining "the proper goal of the entire city."

From the foregoing description of the real estate development process, an effective dialogue concerning the redevelopment of Block 93 must be based on sutual respect. Naving development rights to the block, ATMT wants a redevelopment based on "highest and best ours" considerations. Preservationists, working through the planning commission, must synthesize their traditional value criteria (historical and architectural significance) with an economic equation in order to establish effective dialogue with AT--. Only then can progress be made toward the protection of landmarks on the one hand and the protection of land values on the other.

The economic feasibility analysis demonstrated that Scheme A produces a greater return on investment than Scheme B. Eigher project costs and the subsequent higher debt financing are responsible for the lower Scheme B return on investment in spite of a higher income-producing capacity than Scheme A. Money borrowed and spent on man-hours, emergy, materials and equipment used in construction of the Scheme A landamarks can only be duplicated in Scheme B at a such greater cost. I Dollar for dollar, the emergy-intensive nature of Scheme B is more costly, in terms of both the present and future, than the labor-intensive nature of Scheme A.

Sased on comparison of such a feasibility analysis of Slock 93, which addresses direct expense and income capacities of Slock 93, which addresses direct expense and income capacities of both the developer, AT-T, in terms of real estate value - the developer's botton line. From the findings of the feasibility comparison, the preservationist should be confident that a dialogue initially based on nonetary value findings will lead to eventual consideration of more intangible value factors - the preservationist's bottom line.

On a theoretical level, dialogue between preservationist and developer can progress from momentary value considerations to non-monetary value considerations through discussion of "hidden" redevelopment costs. Such costs, initially monetary in nature, have future repercusations that transcend conomics. For example, the residual value of energy that is wasted if the three landsarks were to be torn down; value analysis that compares the energy value of landsarks buildings to that of coal or oil On the other hand, the impact of a large new complex. Scheme S, as a means of re-establishing Yannas City as a regional destination for retail and commercial activity carries with it future societal implications; value analysis that equates new construction with movements.

Such a transitional dialogue would open the door to considerations of a non-monetary value for the two redevelopment alternatives. In this instance, close scrutiny by AT=T of the intangible value factors, Tetticont lame\* and the landmarks within its vicinity, versus those value factors of Schese 3 will effect a development decision based upon all significant value considerations. Complete with a favorable economic equation, the non-monetary value of Schese A will not only appear attractive to the preservationist but to the developer, AT=T Communications, as well.

A paragraph from the National Trust text, <u>America's Porportion</u>

<u>Architecture</u>, capsulizes the motivation behind this project and
the directions in which the author sees the preservation movement
beading:

Treastration's new breed is less occurred about the differentiation between subgroups of an architectural style or the buildings by a specific architect. For notations and consections are not as important as evaluating each structure for what it contributes to the community for a subject of the structure for what it contributes to the community for a subject of the subject of th

### FOOTNOTES

<sup>1</sup> James Marston Fitch, <u>Historic Preservation</u>, (New York: McGraw-Hill, 1982), p. 51.

<sup>2</sup>John J. Costonis, <u>Space Adrift; Saving Urban Landmarks through the Chicago Plan</u>, (Urbana: University of Illinois Press, 1976), p. 9.

Fitch, Preservation, p. 35.

George Koppe, "By any name, Block 93 is a retail district,"
Kansas City Star, 11 September 1983, sec. E, p. 12.

5 Jandmarks Commission of Kansas City, MO., "Cultural Resource Assessment," Kansas City, 1982. (Typewritten.)

<sup>6</sup>Howard Needles Tammen and Bergendoff, "Report to the Advisory Council on Historic Preservation, 7 February 1964," Office of Housing and Community Development, Kansas City, MO.

7 Historic Kansas City Foundation, "Incentives for Development of 1020 Pennsylvania," Kansas City, 1983. (Typewritten.)

Through Douglas R. Wasama of Historic Kansas City Foundation, the author has had the opportunity to discuss the redevelopment of Block 93 with Brian H. Collins of the Redevelopment Authority and Terry S. Wendt of Crosstown Development Corporation.

George Ehrlich, Kansas City, Missouri: An Architectural History, (Kansas City: Historic Kansas City Foundation, 1979), p. 22.

10\_Landmarks Commission of Kansas City, MO., Kansas City A Flace in Time, (Kansas City: Landmarks Commission, 1977), p. 18.

11 Ehrlich, K.C. Architectural History, p. 56.

12 "Mooden Block Pavements - Last, Removed," <u>Kansas City Star</u>, 2 May 1909. (Clipping.)

13. Poetic Origin of Petticoat Lane, " <u>Mansas City Times</u>, 3 January 1959, p. 32.

14 "Urban Renewal - Block 93," <u>Kansas City Star</u>, 3 March 1973. (Clipping.) 15 Fred T. Comme, "Louis Curtiss of Kansas City," <u>Progressive Architecture</u>, August 1963, p. 133.

 $^{16}\rm{Mark}$  D. Shapiro to James I. Threatt, 9 February 1984, Office of Housing and Community Development, Kansas City, MD.

17 Charles Hall Page and Associates, <u>Splendid Survivors</u>, (San Francisco: California Living Books, 1979).

<sup>18</sup>Ibid., p. 10.

<sup>19</sup>Jane F. Flynn to James I. Threatt, 28 January 1984, Office of Housing and Community Development, Kansas City, MC.

20 Page, Survivors, p. 3.

21 Fitch, Preservation, p. 32.

<sup>22</sup>Tony P. Wrenn and Elizabeth D. Rulloy, <u>America's Porgotten Architecture</u>, (New York: Pantheon Books, 1976), p. 24.

23 Costonis, Space Adrift.

24 Conee, Curtiss, p. 128.

25 Ibid., p. 130.

#### BIBLIOGRAPHY

- Comee, Fred T. "Louis Curtiss of Mansas City." <u>Progressive Architecture</u>, August 1963, pp. 128-134.
- Costonis, John J. Space Adrift: Saving Urban Landmarks through the Chicago Plan. Urbana: University of Illinois Press, 1974.
- Ehrlich, George. Kansas City, Missouri: An Architectural History.
  Kansas City: Historic Kansas City Foundation, 1979.
- Farrell, Paul B., Jr. "Basic Real Estate Analysis." 1970. (Mineographed.)
- Farrell, Terence. "Buildings as a Resource." Royal Institute of British Architects, May 1976, pp. 171-181.
- Fitch, James Marston. <u>Historic Preservation</u>. New York: McGraw-Hill, 1982.
- Graaskamp, James A. Fundamentals of Real Estate Development.
  Washington, D.C.; Urban Land Institute, /1981/.
  - Historic Kansas City Foundation. "Incentives for Development of 1020 Pennsylvania." Kansas City, 1983. (Typewritten.)
- Historical Survey and Planning Office. "Historic Inventory: Boley Building." Columbia, MO., 1976. (Typewritten.)
- "Historic Inventory: Krigel's Jewellery." Columbia, NO., 1980.
  (Typewritten.)
- Jensen, Robert. "New Life for Old Buildings." <u>Architectural Record</u>, December 1977, pp. 81-120.
- Koppe, George. "By any name, Block 93 is a retail district." Kansas City Star, 11 September 1983, sec. E, p. 12.
- Landmarks Commission of Kansas City, MO. "Boley." Kansas City. (Typewritten.)
- . "Cultural Resource Assessment." Kansas City, 1982. (Typewritten.)

  Kansas City A Place in Time. Kansas City: Landmarks Commission,
  1972.
  - 1977.
- National Park Service. Tax Incentives for Rehabilitating Historic Buildings. Washington, D.C.: National Park Service, [1982]
- Nicely, Steve. "Efforts made to salvage old buildings." Kansas City Star, 15 January 1984, sec. D, p. 5.
- "Office Leasing Space Guide." <u>Kansas City Business Journal</u>, 1-7 August 1983, p. 305.

- Oldham, Sarah G., and Jandl, H. Ward. "Hehabilitation and the Tax Peforn Act of 1976." Urban Land 36 (December 1977): 4-10.
- Page, Charles Hall, and Associates. <u>Splendid Survivors</u>. San Francisco: California Living Books, 1979.
- Redevelopment Authority of Kansas City, MO. Downtown 2000: A Flan for Downtown Kansas City. Kansas City: Downtown Council, /1983/.
- Ring, Alfred. Real Estate. New Jersey: Prentice-Hall, 1981.
- Star (Kansas City), 2 May 1909 26 January 1984,
- State Historic Preservation Office. "Historic Inventory: Harzfeld's, Inc." Jefferson City. MO., 1961. (Typewritten.)
- . "Historic Inventory: Lillis Building." Jefferson City, MO., 1980. (Typewritten.)
- . "Historic Inventory: Waldheim Building." Jefferson City, NO., 1980. (Typewritten.)
- Times (Kansas City), 30 April 1908 30 January 1984.
- Timmons, Sharon, ed. Preservation and Conservation; Principles and Practices.
  Washington, D.C.; Preservation Press, 1982.
- Urban Land Institute. Adaptive Use. Washington, D.C.: Urban Land Institute, 1980.
- Weese, Harry, and Associates. Four Landmark Buildings in Chicago's Loop.
  Washington, D.C.: Heritage Conservation and Recreation Service, 1978.
- Wrenn, Tony F., and Mulloy, Elizabeth D. America's Forgotten Architecture.
  New York: Pantheon Books, 1976.

## APPENDIX 1. SCHEME B<sub>1</sub>

Scheme B<sub>1</sub>, a variation based on Scheme B<sub>1</sub> illustrates the consequences of redeveloping the Boley, Harmfeld, and Krigel sites to their highest and best use." The result would be three 30 story akyecraper, each containing three floors of retail and twenty-seven floors of office space.

Though the S.O.I. of Scheme A is more favocable in a five-year cash flow, that of Scheme B<sub>1</sub> will be far greater in the long run, i.e. 20-30 years. Once the initial project costs of Scheme B<sub>1</sub> have been sufficiently reduced, project income, and consequently B.O.I., will exceed that of Scheme A. The I.T.O. and Facade Easement of Scheme A only provide a greater B.O.I. than Scheme B<sub>1</sub> in the short run, i.e. 5 years. (erfer to economic feasibility tables)

Established in 1978, the Transfer of Development Hights (7.0.7.) directly challenges the economic factors that can make an urban landmark a financial liability. Chicago attorney, John J. Costonis, prospied by the demolition of Louis Sullivan's Old Stock Exchange, is largely responsible for the establishment of this measure as an urban planning tool. Yiewing the question of "Who should pay?" as the core problem in urban preservation, Costonis attempts to transfer the costs associated with landmark recycling from the private owner, or the city, to the development process, itself.

When implemented, Costonis' Chicago Plan is designed to provide an

urban amenity, i.e. the landmark, in exchange for development rights. It is similar to a zoning bonus in that there is a trade-off; developers agree to provide urban amenities in return for the right to build larger and more profitable buildings. Both types of incentive zoning aim to balance the developer's profit motif and the city's goal of sound urban design.

T.D.R. alleviates the pressures that threaten low-density uses. "he unused development potential above a landmark is transferred to other sites within the district. Now able to build larger and more profitable buildings, owners of the transfer sites should agree to pay the cash value of the development rights. <sup>5</sup>

## I. Acquisition Costs \$1,777,296\*

\*same total as Scheme B

### II. Demolition Costs \$286,696\*

Harzfeld Krigel

\*all other demo. included in direct retail costs

# III. Construction Costs

Gross Retail	Replacement	Replacement	Replacement
sq. ft.	29,813 sq. ft.	15,593 sq. ft.	(AT+T Tele conferencing)
Retail Cost/ sq. ft.	\$89.27/sq. ft.	\$89.27/sq. ft.	conferencing)
Total Cost	\$2,661,407	\$1,392,076	
Gross Office sq. ft.	268,313 sq. ft.	140,346 sq. ft.	167,400 sq. ft.
Office Cost/ sq. ft.	\$80/sq. ft.	\$80/sq. ft.	\$80/sq. ft.
Total Cost	\$21,465,000	\$11,227,680	\$13,392,000
Total Retail and	i Office Cost.	\$50,138,163	
IV. Indirect Co	osts**		V. Total Cost
Financing Fee		\$483,355	\$1,777,296
Legal Fee		\$752,072	+ \$286,696
Partners Fee	. \$1	1,504,145	+\$50,138,163
Architectural/E	ngineering Fee <sup>†</sup> \$	3,225,928	+\$12,245,128
office only			\$64,447,283
Leasing Fee		\$666,276	
Construction Los	an Interest \$6	5,096,707	
	\$12	2,245,128	

<sup>\*\*</sup> same percentages as Scheme B

Table 3.15. Scheme B<sub>1</sub> Project Income

	Net Retail Sq. Pt.:	Pt.:		Annual Retail Income	\$807,280
		Boley Replacement	25,500 sq. ft.	Annual Office Income	\$9,211,914
		Harzfeld Replacement	14,864 sq. ft.	Total Gross Income	\$10,019,194
2007.020   11.   10.41   10.000   10.		Krigel Replacement	170 01	III. Net Operating Income (N.O. Service	1.) before Debt
\$20/26, ft.   Total Annual Circos   \$20/26, ft.   Total Circos   \$20/26, ft.   \$20/26, ft.			40, JO4 Sq. It.		
Amenate (22) Amenal Cross Sffeetive Income Sfeetive Income Sfeetive Income Sfeetive Income Steetive Income Steetive Income Steetive Income Steeting	Annual Rent/Sq.	. Pt.	\$20/sq. ft. \$807.280	Total Annual Gross Income (Retail and Office)	\$10,019,194
Aminal Great Effective Income				Vacancies (5%)	- \$500,960
Property Proceding   Property Proceding   Property Proceding   Property Proceding   Property Proceding   Procedi				Annual Gross Effective Income	\$9,518,234
	Net Office Sq.	Ft.1		Property Taxes/Insurance	\$571,094
Maintenance   Pee   Maintenance   Pee   Maintenance   Pee   Maintenance   Pee   Maintenance   Pee   Maintenance   Pee		Boley	229,500 sq. ft.	Management Fee	\$380,729
		Havefold		Maintenance Fee	\$380,729
		Replacement	133,773 sq. ft.	Operating Expenses	\$1,502,879
Agoment 1845 500 gg, ft.  \$11,772 gg, ft.    Dubt Survice   State   Survice   Su		Krigel		Leasing Fee	\$521,094
\$11,773 sq. ft. Debt Service \$15/sq. ft. 8,221,914		Seplacement	148,500 sq, ft.	Annual N.O.I. before	
			511,773 sq. ft.	Debt Service	\$6,111,709
	Annual Rent/Sq.	. Ft.	\$18/sq. ft.		
	Annual Office	Income	\$9,211,914	*	

same percentages as Scheme B

Table 3.16. Scheme  $\mathbf{B}_{\mathbf{1}}$  Financing and Depreciation

### I. Financing

Total Project Cost	\$64,447,283
Loan to Value Ratio	x75
Mortgage Loan	\$48,335,462
Debt Service Constant*	x,1288
Debt Service/Annum	\$6,225,608
N.O.I. before Debt Service	\$6,111,709
Debt Service	-\$6,225,608
N.O.I. after Debt Service (Cash Flow)	-\$113,899
Total Project Cost	\$64,447,283
Mortgage Loan	-\$48,335,462
Equity Required	\$16,111,821

## II. Depreciation

New Construction Direct Costs	\$50,138,163
Financing Fee	+ \$483,355
Architectural/Engineering Fee	+ \$3,225,928
Construction Loan Interest	+_\$6,096,707
	\$59,944,153
Pecovery Period (15 years)	· 15
Depreciation / Annum	\$3,996,222

<sup>\*</sup>amortization of mortgage loan at 12.5% over 30 years

	Year 1	Year 2	Year 3	Year 4	Year 5
N.O.I. before Debt Service.	\$6,111,709	\$6,111,709	\$6,111,709	\$6,111,709	\$6,111,709
Interest on Debt Service $12.5 \%$ .	-\$6,041,953	-\$6,023,898	-\$5,999,618	-\$5,975,339	-\$5,945,456
Depreciation.	-\$3,996,277	-\$3,996,277	-\$3,996,277	-\$3,996,277	-\$3,996,277
Profit/Loss.	-\$3,926,521	-\$3,908,466	-\$3,884,186	-\$3,859,907	+\$3,830,024
Tax Rate 50%.	× .50	× .50	× .50	× .50	× .50
Taxes Owed (+/-).	-\$1,963,261	-\$1,954,233	-\$1,942,093	-\$1,929,954	-\$1,915,012
Cash Flow.	- \$113,899	- \$113,899	- \$113,899	- \$113,899	- \$113,899
Tax Savings (+/-).	+\$1,963,261	+\$1,954,233	+\$1,942,093	+\$1,929,954	+\$1,915,012
Investment Tax Credit,	1	:	:	:	:
* Facade Basement.					1
Return on Investment.	\$1,849,362	\$1,840,334	\$1,828,194	\$1,816,055	\$1,801,113
Return on Investment Cumulative %.	12%	23%	美	764	26%

\* not applicable to new construction

"" net operating income after subtraction of debt service

### APPENDIX 2. LOUIS S. CURTISS

The architect of the Boley Building, Louis S. Curtise, was an individualist who combined unusual originality with a strong feeling for traditional styles. A number of the architectural awant-garde, Curtiss was an early proponent of simplicity in design and the straightforward expression of structure. His thinking opposed the prevailing current of neo-classicism. <sup>23</sup>

Born in Ontario, Canada in the summer of 1865, Curtiss probably studied architecture at the University of Toronto in the early 1880's. Although biographical information is scant, it is presumed that the young student entered the Ecole des Beaux Arts in Paris on a scholarship.

Upon cospletion of his university training, durities' whereabouts is open to conjecture. It is believed that he arrived in Kansas City about 1890. The architect's choice of Kansas City for a practice was obviously influenced by two occurences. Beginning about 1885, a building boos in Kansas City had occurred as a result of developments in the Southwest. The great commercial prosperity in this region during the 1870's and '90's had focused attention on Kansas City as a rectional node.

However, of greater lamediate inpact on Curtias would have been the widespread architectural attention created by the competition for Kannasa City's new Board of Trade Suilding. All but one of the competing firms were from outside Kannasa City; the commission was eventually awarded to Burnham and Soot of Chicago. It was during this period that a number of prominent architects from the East, including Van Brunt and House of Boston, opened new offices in Kansas City. Ourties, hisself, established a partnership with Frederick C. Gunn, an architect of the eams age as Gurtiss. The team, Gunn and Curtiss, were responsible for the design of the Nissouri State Building which was erected at the 1893 World's Columbian Exposition in Chicago. Of significance, Van Brunt and Howe were the only other Nissouri architectural firm represented at the fair. Considering that Louis Curtiss was 28 at the time, his rise to national prominence was an exceptional feat.

However, the architect never took full advantage of the opportunities afforded from his early recognition. Louis Curtiss was a unique individual who was often unsympathetic to the mesthetic suggestions of prospective clients; a trait that would lead to fewer and fewer building commissions in later years. The reluctance of Curtiss to conform to traditional notions regarding architectural design can be linked to his secentric

lifestyle during the time of his popular success;

"... as his practice grew so did his affluence and his individuality. He was one of the first sen in the city to own and drive an automobile, and was one of the founders of the automobile, and was one of the founders of the manabout, he became a familiar sight speeding along the boulevarie, often in the cospany of some comely young lady. Later, in the era of "any color car so long as it in black," he "any color car so long as the black," he "any color car so long as the black," he first European or in Kanasa City."

Ourties' short-lived period as a preminent Wannas City architect witnessed him engaged in the design of restaurants, hotels, and railroad stations. The latter commissions were primarily in conjunction with the Santa Fe Pailroad. His designs dotted the landscape from Illinois to the railroad's terminus in New Nexico.

The most important early commission awarded to Jouis Ourtise was that for the Hotal Baltimore, located one block west of "Petticoat Lane" in Kansas City. Constructed over a ten year period, 1858-1907, the structure contained 45 roses upon completion.

The Notel Baltimore was of traditional wall-bearing mamonry construction. Exterior brick walls, a feet thick at grade, tapered to 18 inches at the cornice level. Interior framing members were of cast and wrought iron. Nowever, Curties' innovative building methods were to be seen in this early commission. The hotel's concrete floor slabs and plaster partitions were of "expanded metal construction." The incorporation of the metal lath reinforcement added strength without increasing weight to the structure. At its completion, the folial Baltimore was one of the first buildings in Kansas City to be considered fireproof.

Torm down in 1939 to make way for small stores and a packing garage, the Botla Baltimore had been one of the most magnificent hotels in the West, often compared to Chicago's Falmer House. "For nearly forty years, in the most flamboyant days of Yamasa City, the Baltimore Hotel was the center of all that was big and important ....<sup>25</sup>

Curtism' popular success as an architect only lasted through the first decade of this century. During this period, however, Louis Outliss became the progenitor of structural concepts used today. We was a ploneer in his mature understanding of cantilever conservation, reinforced concrete, and curtain wall design. In 1906, Curtiss designed a two-story conserval building at 105 McGee Street in Hansan City that was to become a prototype of the Boley Building. The entire floor and wall systems were suspended from a roof system of seel trusses. The curtain

wall facing the street was comprised of plate glass, sheet copper, and terra cotta while the entire floor structure was of reinforced concrete.

A building of revolutionary design for its day, the Boley of 1908 is Ourties' masterpiece. Departing completely from established tradition however, the Boley was more of a detriment than an asset to his professional reputation at the time. Even today, the significance of the Boley is not fully recognised. Dispute over the date of the first curtain wall design is unresolved by architectural historians. San Francisco's Rallidie Building of 1915 is more often cited than the Boley for its curtain wall design. Though the Hallidie incorporates a greater amount of glass, its construction techniques are almost identical to those of the Boley Building. Such "twists of fate" have contributed to the relative obscurity of Jouis Ourties today.

The architect's career unfortunately waved after completion of the Boley. In 1913 his greatest patron, Sermard Corrigan, died suddenly. The outbreak of World War I brought Curtiss' practice to a virtual standstill. As he became increasingly withdrawn and alone, it never resumed. Louis 3. Curtiss was found dead in his office in June of 1924; his death was linked to exceeding modeling.

#### AREAS FOR FUTURE STUDY

This paper attempted to address the impact of two redevelopment alternatives, Cohese A and Scheme B, on Block 93 in Kansas City, Missouri. The two schemes were evaluated on the basis of their respective economic values and their nore intangible non-monetary values, i.e. historical and architectural atmificence.

To produce a more complete picture of the redevelopment alternatives, several other value factors could be incorporated into the schemes. In recent years, energy conservation has been viewed as having significant economic and societal value. How energy efficient are the landmarks of Scheme A? It will be important to determine the operating expenses of Scheme A, in terms of energy use, versus those of new construction.

In terms of sociatal value, one must project the future benefits of Scheme A versus Scheme B in terms of regenerating Hansac City's downtown economy. A market analysis that considers demography, transportation systems, parking, retail competition, etc. would help determine the prospective success of either scheme.

Mentioned briefly in Chapter V, the political process of the Eannass City Planning Commission mediating the redevelopment of Block 93 would provide opportunity for study of the effect various special-interest groups, including preservationists, have in the development decision-making process.

This paper considered only two value factors from many involved in the redevelopment of large urban downtowns.

### Continuity and Change Consideration of the "Value" of Two Redevelopment Alternatives for Block 93 in Kansas City, Missouri

by

Lance H. Carlson

B.A., Knox College, 1979

AN ABSTRACT OF A MASTER'S THESIS

submitted in partial fulfillment of the

requirements for the degree

MASTER OF ARCHITECTURE

Department of Architecture

KANSAS STATE UNIVERSITY Manhattan, Kansas The preservation of urban landmarks has significant promise as a viable redevelopment alternative to new construction. To illustrate the viability of urban preservation, the current redevelopment of Block 93 in Mansas City, Missouri has been used as the basis for two hypothetical development alternatives; Scheme A and Scheme 8.

Scheme A examines the integration of three historic landmarks on Block 93 with a new AP+ retail/office complex. The alternative to this rehabilitation/new construction option is Scheme B. Consisting of an entirely new redevelopment of Block 93, Scheme B provides the best basis for comparison with Scheme A.

Both Scheme A and Scheme B are judged on the basis of their monetary and non-monetary values. Monetary value is established through the employment of an economic feasibility model. "This feasibility analysis establishes a project return on investment (N.O.I.) following consideration of project costs, income, financing, and depreciation. Federal tax incentives for rehabilitation, applicable to Scheme A only, are highlighted in the analysis.

Non-monetary value is considered on the basis of Slock 97's signiffcance in the historical development of the downtown and the architectural value of Scheme A's landmark buildings versus their demolition and replacement, Scheme 3.

The final section of the pages attempts to formulate a synthesic value that will be recognized in the development process. Based upon the monetary value, the primary interest of the developer, and the more "intangible" historical and architectural value, the interest of the preservationist, Scheme A and Scheme B are judged in an inpartial manner. The preferred redevelopment scheme should represent the best means for the future growth of devertown fameas city. Missouri.

