

Worksheet 8

Site Evaluation

Why is the site evaluation important?

How farmstead practices affect groundwater depends in part on the physical characteristics of your farmstead site: soil type, bedrock characteristics and depth to groundwater. That's why evaluating the soils and geologic characteristics of your farmstead is such an important step in protecting the groundwater you drink.

What's involved in completing this evaluation?

This evaluation has four parts:

- Part 1: Evaluating your soil type and depth
- Part 2: Evaluating subsurface and geologic materials, along with depth to groundwater
- Part 3: Determining your overall site evaluation rank (combining parts 1 and 2)
- Part 4: Doing a farmstead diagram (optional)

Getting the information to complete parts 1 and 2 may require assistance from outside sources, such as your county Soil Conservation Service (SCS) or Extension office. How long this takes will vary depending on availability of information in your county. Once you have the information, though, it should take about an hour to complete the first three parts of Worksheet 8. The farmstead diagram will take additional time.

If some of the information you need is not readily available, the worksheet contains instructions on how to proceed. The more information you can get the better but some information is better than no information. The definitions on the last page may help you better understand some of the words that are used.

How do soils affect the potential for groundwater contamination?

Soil characteristics are very important in determining whether a contaminant breaks down to harmless compounds or leaches into groundwater. Because most breakdown occurs in the soil, there is a greater potential for groundwater contamination in areas where contaminants are able to move quickly through the soil.

*For glossary,
see page 15.*

- Sandy soils have large “pore” spaces between individual particles, and the particles provide relatively little surface area for “sorption,” or physical attachment of most contaminants. Large amounts of rainfall can percolate through these soils, and dissolved contaminants can move rapidly down through the soil and into groundwater.

- Clay soils, on the other hand, are made up of extremely small particles that slow the movement of water and dissolved contaminants through the soil. Some contaminants also stick tightly to clay surfaces.

While held securely to soil particles, contaminants are broken down by bacteria, other soil organisms and by chemical reactions with minerals and natural chemicals in the soil. Most chemical and biological breakdown takes place in the surface layers, where the soil may be warm, moist, well aerated and high in organic matter.

Finally, soil organic matter is important in holding contaminants. Soils high in organic matter provide an excellent environment for chemical and biological breakdown of these contaminants—before they reach groundwater. Organic matter also provides an important site for contaminants to adsorb, or stick, to soil particles.

The natural purification capability of the soil is limited. Under certain conditions, heavy rainfall and chemical spills may exceed the soil's purification capacity, allowing contaminants to move relatively quickly through the soil. In such cases, the subsurface geologic material and the distance a contaminant must travel to groundwater are important factors in determining whether a contaminant actually reaches the groundwater.

How do subsurface and geologic materials affect the potential for groundwater contamination?

Kansas soils are formed over a variety of geologic parent materials. Upland soils may be formed from bedrock, wind blown silt and sand, or glacial till. Bottomland soils may be formed in alluvial deposits of water deposited sand, silt and clay.

Depth to groundwater is important primarily because it determines not only the depth of material through which a contaminant must travel before reaching an aquifer, but also the time during which a contaminant is in contact with the soil. As a result, where soil and surficial deposits are fairly deep, contaminants are less likely to reach groundwater.

Bedrock geology influences groundwater pollution when the water table is below the bedrock surface. Sedimentary rocks have a wide range of permeability—from highly permeable fractured dolomite to nearly impermeable shales and crystalline formations. Movement of pollutants in fractured limestone or dolomite is unpredictable, and pollutants can readily spread over large areas. Where bedrock material contains significant cracks and fractures, the depth and characteristics of soil and surficial geologic deposits largely determine the potential for groundwater contamination.

A word of caution

Use the rankings from this worksheet cautiously. Many factors affect whether or not a contaminant will leach to groundwater. There is no guarantee that a “low-risk” site will be uncontaminated—or that groundwater will become contaminated at a “high-risk” site. The type of contaminant involved, how you handle and store potential contaminants (such as pesticides and manure), the location and maintenance of your well, and many other factors can affect the potential for groundwater contamination.

Part 1: Evaluating the Soil on Your Farmstead

To complete your soil evaluation, you will need a copy of your county's soil survey report. This report is available at most county SCS, Conservation District (CD) or Extension Service offices.

Step 1: Start by locating your farmstead on the aerial photos in the soil survey. Note the soil mapping unit indicated on the photo and look up information related to that mapping unit in the written and tabular sections of the soil survey report. Soil surveys for different counties often differ according to number and location of tables, chapter titles and so on. Take some time to become familiar with your soil survey and know where to locate different types of information.

If you have more than one soil mapping unit on your farmstead, rank each soil individually using this worksheet. Transfer soil mapping unit boundary lines from the soil survey to the farmstead diagram on page 14.

These rankings describe soil in native, undisturbed conditions. If your farmstead soil has been vastly altered by human activities, take this into account when ranking soil characteristics.

Do not skip any parts of the worksheet. If you are not familiar with using soil surveys, you may need help completing Part 1. Ask your county Extension agent or your SCS personnel to help you find the following information:

- Location of your farmstead on the map and aerial photographs provided in the soil survey report.
- The soil mapping unit and soil series from the legend provided in the soil survey report.
- The soil series and/or soil mapping unit, including the profile description, as well as any other information in the report regarding depth to bedrock, depth to water, or organic matter content.

Step 2: With this information in hand, you are ready to rank your soil according to the seven characteristics found on the following three pages. For each of the seven characteristics in the left column, find information about your soil in the soil survey. Match your soil description to the description in the middle column to determine your score. (For example, if the soil survey tells you that the texture of your surface soil is a clay loam, your score for that category would be 8.) Remember to rank each soil if you have more than one soil mapping unit. Enter your score(s) in the space(s) indicated.

Soil characteristics

For characteristics 1–6a that follow, consult the tables for each soil mapping unit and the soil mapping unit or soil series text in your county soil survey. Help on where to locate information is found in the box on the left of each characteristic.

		Score
1. Texture of surface (A horizon)	loam, silt loam, sandy clay loam, silt	9
	clay, sandy clay, silty clay, clay loam, silty clay loam	8
	loamy fine sand, loamy very fine sand, fine sandy loam, very fine sandy loam	4
	sand, loamy sand, sandy loam, organic materials (all “O” horizons), and all textural classes with coarse fragment class modifiers (such as “gravelly loam”)	1
Your score(s)		soil 1 soil 2 soil 3
2. Texture of subsoil (B horizon) If there is no B horizon, consider the character of materials within approximately 2 feet below the A horizon.	clay, sandy clay, silty clay, silt	10
	sandy clay loam, loam, silt loam, clay loam, silty clay loam	7
	loamy fine sand, loamy very fine sand, fine sandy loam, very fine sandy loam	4
	sand, loamy sand, sandy loam, organic materials, and all textural classes with coarse fragment modifiers (such as “gravelly loam”)	1
Your score(s)		soil 1 soil 2 soil 3
3. pH-Surface (A horizon)	6.6 or greater (the A horizon description may include one of the following terms: neutral, mildly alkaline, moderately alkaline or strongly alkaline)	6
	less than 6.6 (the A horizon description may include one of the following terms: slightly acid, moderately acid or strongly acid)	4
Your score(s)		soil 1 soil 2 soil 3

HELP.

Map unit name will include texture of surface horizon.

HELP.

Information on subsoil texture can be found in the soil series description text in your soil survey.

HELP.

Consult table in your soil survey on estimated or chemical properties, or soil series description text, for information on surface pH. A soil test of soils on your farmstead may also contain this information.

		Score
4. Depth of soil solum (depth of A and B horizons)	60 inches or greater	10
	40-60 inches	8
	30-40 inches	5
	less than 30 inches	1
HELP. <i>Consult chapter in your soil survey on soil series descriptions for this information.</i>		
Your score(s)		soil 1 soil 2 soil 3

5. Soil drainage class	well drained	10
	moderately well drained	5
	somewhat poorly, poorly, and very poorly drained; somewhat excessively and excessively drained	1
HELP. <i>Information on drainage class can be found in the chapter on soil mapping units or soil series descriptions.</i>		
Your score(s)		soil 1 soil 2 soil 3

6. Permeability of subsoil horizon

a. If bedrock is found within 20 to 40 inches of the surface, use the following rank:

HELP. <i>Depth to bedrock can be found in the chapter on soil series descriptions.</i>	bedrock at 20–40 inches	3
	bedrock within 20 inches	1

b. For soils other than those listed in 6a, determine the permeability of the soil mapping unit. Permeability rating (inches per hour) are given in parenthesis.

HELP. <i>Consult the chapter on soil mapping unit or soil series descriptions for information on permeability.</i>	very slow (<0.06), slow (0.06-0.2) and moderately slow (0.2-0.6)	10
	moderate (0.6-2.0)	8
	moderately rapid (2.0-6.0)	3
	rapid (6.0-20.0) to very rapid (>20.0)	1
Your score(s)		soil 1 soil 2 soil 3

		Score
7. Organic matter content (Ap horizon or 0–6" depth from surface)	Organic matter (%)	
HELP. <i>This information can be found in the table on "Physical and Chemical Properties of the Soil" in newer soil surveys. It can also be found in a soil test report if organic matter was requested, or by contacting your local SCS office.</i>	high (4-10%)	10
	medium (2-4%)	7
	moderately low (1-2%)	5
	low (0.5-1%)	3
	very low (less than 0.5%)	1

Step 3: Add your seven scores together for each soil you ranked.

TOTALS			
	soil 1	soil 2	soil 3

Step 4: In the box below, find your score in the listed ranges in the left column. Identify your soil's "potential to protect groundwater" and find the rank number assigned to your score.

Total Score	Soil's Potential To Protect Groundwater	Rank
51+	Best	4
41-50	Good	3
31-40	Marginal	2
0-30	Poor	1

Step 5: Enter rank number(s) here:

SOIL RANK 1

SOIL RANK 2

SOIL RANK 3

Step 6: Understand your soil's rank(s).

A soil with more than 50 points (rank 4) probably is a deep, medium- or fine-textured, well-drained soil which contains greater than 3 percent organic matter. Potential contaminants move slowly through the soil, allowing them to become attached to soil particles. Sunlight, air and micro-organisms then have the potential to break down the contaminant into harmless compounds. The groundwater contamination risk level is low.

A soil with a score of 30 or less (rank 1) is probably a coarse, sandy, somewhat excessively- to excessively-drained soil with less than 1 percent organic matter. Such a soil would enable most contaminants to move rapidly down toward the water table.

Overall, the higher your rank number, the more likely that your soil conditions **will help to reduce** the risk of groundwater contamination from farmstead practices.

Part 2: Evaluating Subsurface and Geologic Materials on Your Farmstead

This part looks at the subsurface and geologic materials beneath your farmstead's soils. Completing the worksheet will give you a much clearer picture of your site's potential for keeping pollutants out of groundwater.

For example, the soil evaluation might have indicated a moderate potential for protecting groundwater. However, if the soils are fairly shallow and lie over fractured bedrock, the potential for ground-water contamination at the site is probably higher than indicated by the soil evaluation alone.

This part requires only two items of information—your site's subsurface geologic material and depth to groundwater. Unfortunately, information on subsurface geologic material, as well as depth to water, is often difficult to obtain.

- Limited information is available from the soil survey report, although this differs from county to county. This information is usually located in the chapter titled "Formation of Soils" or "General Soil Map Units."
- You can also obtain it from your well construction report. If the well driller filled out the report correctly, and submitted it to the Kansas Geological Survey (KGS), it should be on file there. Contact KGS, 305 Moore Hall, University of Kansas, Lawrence, Kansas 66045, (913) 864-3965, and ask for

the Well Log Library. Be prepared to provide the legal description (county, township, range, section, and quarter section) of the well's location. If known, provide the year the well was installed and the owner's name at the time. A nominal amount will be charged for copying the logs.

- You can find additional information from other well construction reports in your area, hydrogeological reports and groundwater flow maps for some counties, which are also available from KGS. These are generalized maps, though, and may not accurately reflect the depth to groundwater or direction of flow at your farmstead.
- Published geological reports for your county may show the type of geologic material in your area. These reports may be available in your local library.

Try not to skip any steps in this section. If you need help, ask your SCS specialist or your county Extension agent to help you gather the information and provide assistance in completing Part 2.

If the information for this part is not available, though, you may skip to Part 3 on page 10. The instructions will tell you how to proceed without it.

Step 1: Find the information you need—from the soil survey, well construction reports or KGS reports—to identify the geologic materials beneath your farmstead and the depth to groundwater. (Note: The soil survey will indicate groundwater depths only if 6 feet or less from the soil surface.)

Step 2: Match the information on your site's geology to one of the descriptions in the left column on the following page. (You will be choosing **only one description** from the table.)

If your well construction report describes more than two types of geologic material below 5 feet, ask for help in filling out this section.

Step 3: When you have chosen the description that best matches your site's geology, read across to the right until you get to the appropriate "depth to groundwater" for your site. Circle that score for your farmstead.

For example, you may determine from your well construction report that geologic material beneath your farmstead consists of 30 feet of coarse-textured, unconsolidated material over fractured limestone bedrock, and that depth to groundwater is 15 feet. Looking down the left column to find your category, and then going across to the right, you see that your rank is "1."

Geological Material	Depth to Groundwater (in feet)			
	0-10'	10-30'	30-50'	More than 50'
1. Medium- to fine-textured materials (more than 50' of materials)				
a. silt, clay or shale	1	2	3	4
2. Till (more than 50' of materials)				
a. dense- or fine-textured till (unsorted)	1	2	3	4
b. medium- to coarse-textured till (unsorted)	1	2	3	4
3. Unweathered or unfractured limestone or sandstone, igneous, or metamorphic	1	2	3	4
4. Medium- to fine-textured, unconsolidated materials over fractured bedrock				
a. 30-50' of materials	1	2	3	3
b. 10-30' of materials	1	1	2	2
c. 0-10' of materials	1	1	1	1
5. Coarse-textured, unconsolidated materials over fractured bedrock				
a. 30-50' of materials	1	1	2	2
b. 10-30' of materials	1	1	1	2
c. 0-10' of materials	1	1	1	1
6. Sand and gravel (more than 50' of materials)				
a. greater than 12% silt or clay (sorted)	1	1	2	2
b. less than 12% silt or clay (sorted)	1	1	1	1
7. Karst or highly permeable or fractured rock (more than 50' of materials)	1	1	1	1

There may be other situations that do not fall into the above categories (such as unconsolidated materials over limestone/shale/sandstone sequence). Determining a rank for such situations requires a judgment call.

Step 4: Enter your circled number here: SUBSURFACE RANK

Step 5: Understand your subsurface and geology rank. The table below shows what your rank means.

Rank	Level of Risk of Groundwater Contamination
4	Low
3	Low/moderate
2	High/moderate
1	High

A rank of “4” shows that the subsurface material has the best potential to protect groundwater. This material has small pore spaces, groundwater is at least 30 feet from the soil surface, and the risk of groundwater contamination is low.

A ranking of “1” indicates a material with poor potential to protect groundwater. Its large pore spaces allow contaminants to move downward easily, increasing the risk of groundwater contamination. In highly fractured rock or in very coarse-textured, unconsolidated materials, the depth to groundwater doesn’t seem to matter, because some contaminants will flow through the pore spaces with very little slowdown.

Overall, the higher your rank number, the more likely that your farmstead’s geologic conditions and depth to groundwater **will help to reduce** the risk of groundwater contamination from farmstead practices.

Part 3: Combining Your Farmstead’s Soil and Subsurface/Geologic Rankings

Combining the rankings from parts 1 and 2 will provide you with a good overall ranking of your farmstead site’s potential to keep pollutants from moving down to groundwater.

Step 1: Transfer your boxed rankings from the soil evaluation (Part 1, page 6) and the subsurface/geologic evaluation (Part 2, page 9) to the boxes below:

Soil Rank 1		Subsurface Rank	
Soil Rank 2			
Soil Rank 3			

Step 2: The following table shows the overall level of groundwater contamination risk associated with your farmstead site conditions. Find your two numbers **written in the correct sequence** (soils rank-subsurface rank) and circle the sequence.

LEVEL OF RISK			
Low Risk (Rank 4)	Low-Moderate Risk (Rank 3)	High-Moderate Risk (Rank 2)	High Risk (Rank 1)
1-4	1-3	2-2	1-1
2-3	3-2	4-1	1-2
2-4	4-2		2-1
3-3			3-1
3-4			
4-3			
4-4			

Step 3: Look above the sequence you circled to find your risk level and your rank. (For example, if your numbers are 3-2, your site is in the low-moderate risk column and your rank is 3.)

Step 4: Enter your combined rank here.
(If you calculated more than one soils ranking, calculate a combined ranking for each soils ranking.)

COMBINED RANK 1

COMBINED RANK 2

COMBINED RANK 3

Step 5: Understand your combined rank.

In general, a site with a combined rank of 4 (low groundwater pollution risk) will have a soil with a good capacity to hold and break down contaminants. Its subsurface conditions will also keep contaminants from reaching the water table. Under certain conditions, however, such as spills, heavy rainfall or poor management, contaminants may reach groundwater.

On the other hand, if you carefully manage a site with a combined rank of 1 (high groundwater pollution risk), you may not affect your drinking water. **Both site characteristics and your management practices are of equal importance.**

Your three site ranks (soils rank, subsurface rank and combined rank) will be used again in Worksheet 9. They will be combined with your risk rankings for specific activities from the individual assessments (such as pesticide handling) to give you a more accurate assessment of potential groundwater contamination on your farmstead.

If you have more than one soil on your farmstead, you will need to transfer individual soil ranks and combined ranks to Worksheet 9. It will be especially important for you to complete Part 4 of this worksheet if you have more than one soil on your farmstead, so that you can link particular site vulnerability with each farmstead activity.

You may now proceed with Part 4 of this worksheet, or you may go directly to the other assessments.

Part 4: Learning More About Your Site

Sketching a diagram of your farmstead can provide useful information to help you understand how the physical layout and site characteristics of your farmstead may contribute to—or lessen—the effects of possible contaminants reaching your drinking water.

The diagram can show the location of wells, septic drainfields, manure storage areas, direction of groundwater flow, surface water, buildings, and other activities that may contribute potential contaminants. Along with the soil and subsurface evaluations, the diagram will help point out aspects of your farmstead that may present a hazard to your drinking water.

Step 1: Begin by looking at the sample diagram on page 13.


Step 2: Diagram your farmstead on the blank grid provided on page 14.
Include all of the following that apply to your farmstead.

- all buildings and other structures (home, barn, machine shed)
- wells and unused wells
- septic system (tank, dry well, absorption field and/or ditch)
- livestock lots (current and/or abandoned)
- manure storage (temporary and permanent)
- underground petroleum storage tank
- above-ground petroleum storage tank
- pesticide and fertilizer storage, handling and mixing areas
- silage storage
- milkhouse waste disposal system (tank, field and/or ditch)
- farm dumps
- vehicle maintenance areas
- liquid disposal areas
- tiles, surface intakes and open ditches


You can use the same diagram to indicate surface water (ponds and streams), direction of landslope, groundwater flow, and the different soil types found around your farmstead. Generally, groundwater follows surface topography and moves downhill towards surface water.

Step 3: Use your diagram to note which activities or structures on your farmstead have a greater likelihood of allowing contaminants to reach groundwater. This information should help prepare you to make better decisions about your farmstead activities and structures and how they might be affecting your drinking water.

SAMPLE FARMSTEAD DIAGRAM



YOUR FARMSTEAD DIAGRAM



Glossary

Site Evaluation

These definitions may help clarify some of the terms used in Worksheet 8.

Apparent water table: A thick zone of free water in the soil. It is indicated by the level at which water stands in an uncased borehole after adequate time is allowed for adjustment in the surrounding soil.

Igneous: Rock formed by cooling and solidification of liquid parts of the rock portion of the earth.

Karst: Topography formed over limestone or dolomite where there are sinkholes, caverns and lack of surface streams.

Metamorphic: Rock formed by recrystallization of igneous or sedimentary rock under great pressure and heat, and by chemical reactions.

Organic matter: Matter containing compounds of plant or animal origin, measured by organic carbon content.

Perched water table: Water standing above an unsaturated zone. A perched water table is separated from a lower water table by an unsaturated zone.

Permeability: The quality that enables soil to transmit water or air.

Soil classification: A shorthand system to provide detailed soil descriptions. Includes such groupings as *order*, *suborder*, *subgroup* and *family*.

Soil drainage class: The conditions of frequency and duration of periods of saturation or partial saturation that existed during the development of the soils, as opposed to human-altered drainage. Different classes are described by such terms as *excessively drained*, *well-drained* and *poorly drained*.

Soil horizon: A layer of soil, approximately parallel to the surface, that has distinct characteristics, such as color, structure and texture. Described in shorthand form by letters, such as *A*, *B* and *C*.

Soil-mapping unit: A soil or combination of soils delineated on a map and, where possible, named to show the taxonomic unit or units included.

Soil series: The basic unit of soil classification, consisting of soils that are essentially alike in all major profile characteristics.

Soil solum: The upper and most weathered part of the soil profile, consisting of the *A* and *B* horizons.

Soil texture: The relative proportions of the various soil separates (sand, silt and clay) in a soil. Described by such terms as *sandy loam* and *silty clay*.

Subsoil: The *B* horizon, roughly the part of the solum below the depth of plowing.

Till: Unstratified glacial drift deposited by ice and consisting of clay, silt, sand, gravel and boulders, intermingled in any proportion.



The Farmstead Assessment System is a cooperative project of the Cooperative Extension Service, Kansas State University, and the Kansas Department of Health and Environment.

Project coordinated at Department of Agricultural Engineering, Cooperative Extension Service, Kansas State University, Kevin L. Herbel, Coordinator.

Farm•A•Syst team members: **John S. Hickman**, Extension Specialist and Environmental Quality Coordinator; **Kevin L. Herbel**, Extension Assistant, Farmstead Assesment System; **Danny H. Rogers**, Extension Irrigation Engineer; and **G. Morgan Powell**, Extension Natural Resource Engineer.

John S. Hickman
Extension Specialist and Coordinator
Environmental Quality
Kansas State University

Paul R. Finnel
Soil Scientist
Soil Conservation Service

Margaret A. Townsend
Hydrogeologist
Kansas Geological Survey

Adapted for Kansas from material prepared by Fred Madison, Wisconsin Geological and Natural History Survey and Department of Soil Science, University of Wisconsin-Madison, for the Wisconsin and Minnesota Farm•A•Syst programs. Kansas Farm•A•Syst development supported by the National Farmstead Assesment Program. Review provided by Joseph P. Harner, James P. Murphy, and G. Morgan Powell, Extension Agricultural Engineering, Kansas State University, and the Soil Conservation Service.

Publications from Kansas State University are available on the World Wide Web at: <http://www.oznet.ksu.edu>

Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. In each case, credit John Hickman, Site Evaluation, Kansas State University, August 1998.

Kansas State University Agricultural Experiment Station and Cooperative Extension Service

EP-40 August 1998

It is the policy of Kansas State University Agricultural Experiment Station and Cooperative Extension Service that all persons shall have equal opportunity and access to its educational programs, services, activities, and materials without regard to race, color, religion, national origin, sex, age or disability. Kansas State University is an equal opportunity organization. Issued in furtherance of Cooperative Extension Work, Acts of May 8 and June 30, 1914, as amended. Kansas State University, County Extension Councils, Extension Districts, and United States Department of Agriculture Cooperating, Marc A. Johnson, Director.