

219-6641A

RUMEN FLUID FROM "SUDDEN  
DEATH," LACTIC ACIDOTIC, AND HEALTHY  
CATTLE AND ITS TOXIC EFFECT IN MICE

by

JAMES ROGER WILSON

B. S., Kansas State University, 1970  
D.V.M., Kansas State University, 1972

---

A MASTER'S THESIS

submitted in partial fulfillment of the

requirements for the degree

MASTER OF SCIENCE

Department of Dairy and Poultry Science

KANSAS STATE UNIVERSITY  
Manhattan, Kansas

1973

Approved by:

  
Major Professor

LD  
2668  
T4  
1973  
W52  
C.2  
Docu-  
ments

#### ACKNOWLEDGMENT

The author wishes to express sincere appreciation to Dr. Erle E. Bartley for his competent advice, personal interest, encouragement and invaluable assistance during the course of this study and in the preparation of this thesis.

Appreciation is also expressed to Drs. J. L. Noorday and R. A. Frey for their interest, counsel and guidance during this study and during previous work in the College of Veterinary Medicine.

Appreciation is also expressed to Drs. Ben E. Brendt, Tom E. Chapman and Glenn E. Clark for analytical work.

The author is indebted to Drs. H. D. Anthony and R. J. Milleret for their assistance and for making available the facilities of the Veterinary Diagnostic Laboratory.

The author thanks Dr. L. R. Fina for his suggestions and for assistance in providing facilities in the division of Biology for the laboratory animal work.

The author is grateful to Dr. C. L. Norton for providing a graduate research assistantship and research facilities in the Department of Dairy and Poultry Science.

The author wishes to thank Dr. R. M. Meyer for her helpful advice and assistance especially with the mouse toxicity work.

The author also thanks Dr. F. W. Oehme for his helpful suggestions and advice.

Special appreciation is expressed to the author's wife, Marsha, for her sacrifice, aid and encouragement during the course of graduate study and the preparation of the thesis; and to the author's parents Dr. and Mrs.

Chase C. Wilson for their encouragement.

This project was supported by the Kansas Agricultural Experiment Station.

## TABLE OF CONTENTS

	Page
ACKNOWLEDGMENT . . . . .	ii
LIST OF TABLES . . . . .	vi
INTRODUCTION . . . . .	1
REVIEW OF LITERATURE . . . . .	2
Sudden Death Syndrome . . . . .	2
Rumen Toxins . . . . .	4
Rumen Histamine . . . . .	7
Rumen Lactic Acid . . . . .	16
Abnormal Rumen Metabolites . . . . .	21
Laboratory Animals and Rumen Fluid . . . . .	22
EXPERIMENTAL PROCEDURE . . . . .	24
Experiment 1 . . . . .	24
Experiment 2 . . . . .	25
Experiment 3 . . . . .	25
Experiment 4 . . . . .	26
Experiment 5 . . . . .	26
RESULTS . . . . .	30
Experiment 1 . . . . .	30
Experiment 2 . . . . .	30
Experiment 3 . . . . .	35
Experiment 4 . . . . .	37
Experiment 5 . . . . .	40
DISCUSSION . . . . .	53
Experiment 1 . . . . .	53
Experiment 2 . . . . .	53

	Page
DISCUSSION (con't)	
Experiment 3 . . . . .	57
Experiment 4 . . . . .	58
Experiment 5 . . . . .	60
CONCLUSION . . . . .	69
SUMMARY . . . . .	72
LITERATURE CITED . . . . .	74

## LIST OF TABLES

		Page
Table 1.	Rumen histamine values reported by various investigators.	15
Table 2.	Rumen lactic acid values reported by various investigators.	17
Table 3.	Rumen pH, total VFA, histamine and lactic acid concentrations and VFA molar percentages from 321 D in lactic acidosis (Experiment 2).	31
Table 4.	Rumen pH, total VFA, histamine and lactic acid concentrations and VFA molar percentages from 140 E in lactic acidosis (Experiment 2).	32
Table 5.	Blood L(+) lactic acid, urea nitrogen, total serum proteins, serum glutamic oxaloacetic transaminase, packed cell volume and hemoglobin for 140 E and 321 D in lactic acidosis.	33
Table 6.	Total and differential white blood cell counts for 140 E and 321 D in lactic acidosis.	34
Table 7.	Rumen pH, total VFA, histamine and lactic acid concentrations and VFA molar percentages from feedlot steers maintained on a finishing ration for over 100 days (Experiment 3).	36
Table 8.	Rumen pH, total VFA, histamine and lactic acid concentrations and VFA molar percentages from SDS cattle (Experiment 4).	38
Table 9.	History and necropsy lesions of "Sudden Death" cattle.	41
Table 10.	Mortality of mice injected (i.p.) with rumen fluid from healthy roughage fed cattle or from cattle exhibiting lactic acidosis (Experiment 5, Trial 1).	43
Table 11.	Mortality of mice injected (i.p.) with SDS rumen fluid (Experiment 5, Trial 2).	44
Table 12.	Mortality of mice injected (i.p.) with fractions of SDS rumen fluid obtained by differential centrifugation and treated with antibiotic and/or heat (Experiment 5, Trial 3).	46
Table 13.	Mortality of mice given intraperitoneally or orally rumen fluid that had been centrifuged and the precipitate lyophilized (Experiment 5, Trial 4).	47
Table 14.	Mortality of mice injected (i.p.) with rumen fluid from feedlot cattle fed a high concentrate, low roughage ration (Experiment 5, Trial 5).	48

	Page
Table 15. Mortality of mice injected (i.p.) with untreated, autoclaved, and antibiotic treated roughage fed, lactic acidotic, SDS and high concentrate rumen fluid samples (Experiment 5, Trial 6).	49
Table 16. Mortality of mice injected (i.p.) with phenol treated rumen fluid and precipitate from high speed centrifugation (15,000 g) of phenol treated rumen fluid (Experiment 5, Trial 7).	50
Table 17. Mortality of mice injected (i.p.) with untreated and antibiotic treated rumen fluid and rumen fluid precipitate (Experiment 5, Trial 8).	51
Table 18. Mortality of mice injected (i.p.) with SDS rumen fluid treated with various antibiotics (Experiment 5, Trial 9).	52