

APPLICATIONS OF MODERN OPTIMAL CONTROL THEORY  
TO ENVIRONMENTAL CONTROL OF CONFINED SPACES

by 1264

YUAN-SEN HWANG

B. S., National Taiwan University, 1966

Taipei, Taiwan

---

A MASTER'S THESIS

submitted in partial fulfillment of the

requirements for the degree

MASTER OF SCIENCE

Department of Chemical Engineering

KANSAS STATE UNIVERSITY  
Manhattan, Kansas

1970

Approved by:

  
Major Professor

LD  
2668  
TH  
1970  
H88

#### ACKNOWLEDGMENTS

The author wishes to express his sincere gratitude to Dr. L. T. Fan for his guidance and encouragement during the course of graduate study and for the opportunity to work with the THEMIS project at Kansas State University.

The author wishes to thank Dr. C. L. Hwang for his helpful suggestions and continual interest; Dr. R. G. Akins for serving on his committee; the secretarial staff of the Department of Chemical Engineering for their assistance.

The research on which this thesis is based was supported by the Air Force of Scientific Research, Office of Aerospace Research, United States Air Force and NASA. The author is grateful for their financial assistances.

Last, but by no means least, the author also wishes to thank the computing center of Kansas State University for the aid given by the IBM 360/50 computer.

## TABLE OF CONTENTS

	Page
ACKNOWLEDGMENTS .....	ii
LIST OF TABLES .....	iv
LIST OF FIGURES .....	v
 Chapter	
1 INTRODUCTION .....	1
2 BASIC COMPUTATIONAL ALGORITHM OF PONTRYAGIN'S MAXIMUM PRINCIPLE .....	6
3 NECESSARY CONDITIONS FOR OPTIMUM FOR PROCESSES IN WHICH STATE VARIABLES HAVE EQUALITY CONSTRAINT AT THE CONTROL TERMINAL TIME .....	10
4 NECESSARY CONDITIONS FOR AN OPTIMUM FOR PROCESSES WITH INEQUALITY CONSTRAINTS IMPOSED ON THE STATE VARIABLES ...	16
5 MODELING AND SIMULATION .....	26
6 NUMERICAL EXAMPLES I .....	63
7 NUMERICAL EXAMPLES II .....	95
8 NUMERICAL EXAMPLES III .....	117
9 OPTIMALITY AND SENSITIVITY ANALYSIS .....	128
10 SUMMARY AND RECOMMENDATION .....	135
LIST OF REFERENCES .....	139
 APPENDIX A	
A MINIMUM INTEGRAL ERROR AND MINIMUM TIME PROBLEM .....	143
 APPENDIX B	
DERIVATION OF EQUATION (3.14) FROM EQUATION (3.12) .....	147

## LIST OF TABLES

Table		Page
5.1	SIMULATION RESULTS FOR IMPULSE HEAT DISTURBANCE .....	54
5.2	THE PERFORMANCE EQUATION FOR SYSTEM ELEMENT .....	55
6.1	OPTIMAL SOLUTIONS OF ONE CST MODEL TOGETHER WITH $z_2 = 0$ [EXAMPLE 6.1] .....	85
6.2	OPTIMAL SOLUTIONS OF ONE CST MODEL TOGETHER WITH $z_2 \neq 0$ [EXAMPLE 6.2] .....	86
6.3	OPTIMAL SOLUTIONS OF THE TWO CST'S-IN-SERIES MODEL WITH $z_2 = 0$ [EXAMPLE 6.3] .....	87
8.1	OPTIMAL SOLUTIONS OF CASE 1 OF THE TWO CST'S-IN-SERIES MODEL WITH $z_2 = 0$ AND INEQUALITY CONSTRAINT $x_{11} \geq m$ .....	124
8.2	SIMULATION OF CASE 1 OF THE TWO CST'S-IN-SERIES MODEL WITH $z_2 = 0$ , $r_{11} = 2$ AND $x_{11} \geq -0.2$ .....	125

## LIST OF FIGURES

Figure		Page
5.1	AIR-CONDITIONED ROOM .....	56
5.2	ROOM HEAT FLOW RATES .....	57
5.3	SCHEMATIC DIAGRAM OF HEAT EXCHANGER .....	58
5.4	OVER-ALL HEAT BALANCE OF THE SYSTEM WITH $\tau_2 = 0$ .....	59
5.5	RESULTS OF SIMULATION OF EQUATION (5.27) WITH $T_2 = 10^\circ \text{C}$ AND $T_d = 20^\circ \text{C}$ .....	60
5.6	RESULTS OF SIMULATION OF EQUATION (5.29) WITH $T_2 = 10^\circ \text{C}$ AND $T_d = 20^\circ \text{C}$ .....	61
5.7	SCHEMATIC EXPRESSION OF THE MODIFIED SYSTEM ELEMENT .....	62
6.1	SYSTEM RESPONSE OF ONE CST MODEL WITH $\tau_2 = 0$ [EXAMPLE 6.1] .....	88
6.2	PHASE PLANE PLOT FOR DIFFERENT CASES WITH $\tau_2 \neq 0$ AND $r = 10$ [EXAMPLE 6.1] .....	89
6.3	PHASE PLANE PLOT FOR CASE 1 WITH $\tau_2 \neq 0$ AND DIFFERENT $r$ VALUES [EXAMPLE 6.2] .....	90
6.4	SYSTEM RESPONSE OF CASE 1 OF ONE CST MODEL WITH $\tau_2 \neq 0$ [EXAMPLE 6.2] .....	91
6.5	PHASE PLANE PLOT FOR CASE 1 OF TWO CST'S- IN-SERIES MODEL WITH $\tau_2 = 0$ AND DIFFERENT $r_{11}$ VALUES [EXAMPLE 6.3] .....	92
6.6	PHASE PLANE PLOT FOR THE DIFFERENT CASES OF TWO CST'S-IN-SERIES MODEL WITH $\tau_2 = 0$ AND $r = 2$ [EXAMPLE 6.3] ...	93
6.7	SYSTEM RESPONSE OF CASE 1 OF TWO CST'S-IN-SERIES MODEL WITH $\tau_2 = 0$ [EXAMPLE 6.3] .....	94
7.1a	SYSTEM RESPONSE FOR CASE 1 OF TWO CST'S-IN-SERIES MODEL WITH $\tau_2 = 0$ , $r_{11} = 2$ AND $r = 10$ .....	115
7.1b	SYSTEM RESPONSE FOR CASE 1 OF TWO CST'S-IN-SERIES MODEL WITH $\tau_2 \neq 0$ AND $r_{11} = 2$ AND $r = 10$ .....	116

## LIST OF FIGURES--(Continued)

Figure		Page
8.1	SYSTEM RESPONSE FOR CASE 1 OF TWO CST'S-IN-SERIES MODEL WITH $z_2 = 0$ , $r_{11} = 2$ AND $x_{11}$ IS CONSTRAINED ..... 2	126
8.2	SIMULATION OF CASE 1 OF TWO CST'S-IN-SERIES MODEL WITH $z_2 = 0$ , $r_{11} = 2$ AND $x_{11} \geq -0.2$ .....	127
9.1	THE SENSITIVITY TO CHANGE IN DIMENSIONS OF THE MATHEMATICAL MODEL .....	133
9.2	THE SENSITIVITY TO SHIFT OF THE CONSTRAINTS OF THE MATHEMATICAL MODEL .....	134